PAYNE COUNTY BOARD OF COUNTY COMMISSIONERS STILLWATER, OKLAHOMA

"NOTICE TO BIDDERS"

Notice is hereby given that the Payne County Board of Commissioners State of Oklahoma, will receive sealed bids for the following:

6 MONTH BIDS BID # 2021-21 THRU BID # 2021-33 ROAD/BRIDGE CONSTRUCTION MATERIALS

THIS BID IS FOR THE 6-MONTH BIDDING PERIOD OF JANUARY 1, 2021 THRU JUNE 30, 2021, FOR ROAD/BRIDGE CONSTRUCTION MATERIAL FOR PAYNE COUNTY, STILLWATER, OKLAHOMA

Bid documents may be picked up at the Payne County Clerk's Office at 315 W. 6th, Suite 202, Payne County Administration Building, Stillwater, Oklahoma, or call 405-747-8348 to request that they be mailed.

Bids should be mailed or hand delivered to the Payne County Clerk, 315 W. 6th, Suite 202, Stillwater, OK. 74074. Bids must be filed with the Payne County Clerk on or before 9:30 A.M. on DECEMBER 14, 2020. Bids must be sealed and clearly marked:

BID # 2021-21 THRU # 2021-33
OPENING: DECEMBER 14, 2020 @ 9:30 A.M.
6 MONTH BIDS
ROAD/BRIDGE CONSTRUCTION MATERIALS

The Board of County Commissioners, or their appointed representative, will evaluate all bids, and reserves the right to reject any, or all the bids, and reserves the right to waive any of the listed specifications. The Board of County Commissioners reserves the right to accept the bid determined to best serve the needs of Payne County. Payne County hereby notifies all bidders that it will affirmatively ensure that, in any contract, entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex or national origin in consideration for an award.

Kyla McCombs Purchasing Agent



Office of GLENNA CRAIG

Payne County Clerk

6 Month Bids
Road / Bridge Construction Material
Bid # 2021-21 thru # 2021-33
January 1, 2021 thru June 30, 2021

Vendor and or company representative,

Included in this correspondence you will find information, in regards to, bid specifications, packet information, and instructions per the Payne County Commissioners who are requesting your company submit a bid for the enclosed project or materials.

The enclosed packet has been developed and approved by the Payne County Commissioners, the content of the packet is per their instruction. The Payne County Clerk's office is the facilitator of the bid process and is required to receive and hold all sealed bids per Oklahoma State Statutes to present to the Board of Commissioners in an open session.

If you have any questions, in regards, to the pack content, specifications, and instructions please contact the following:

Payne County Commissioners
District # 1 - Zach Cavett - 918-225-1330
District # 3 - Rocky Blasier - 405-372-7758

We appreciate your bid and time, in regards, to the process. We look forward to hearing from you.

Kind Regards,

Glenna Craig, Payne County Clerk

State of Oklahoma

All bids can now be mailed, or emailed to vendors, or can be downloaded for completion from our website: www.countyclerk.paynecounty.org.

CONTACT KYLA MCCOMBS-PAYNE COUNTY PURCHASING AGENT FOR EMAIL OR MAILED BIDS AT: kmccombs@paynecountyclerk.org

ALL BIDS MUST BE SUBMITTED BACK TO THE PAYNE COUNTY CLERKS OFFICE BY MAIL, OR IN PERSON SEALED BEFORE 9:30 THE DATE OF BID OPENING.



Office of GLENNA CRAIG

Payne County Clerk

INVITATION TO BID

The Board of County Commissioners, Payne County, Oklahoma is seeking sealed bids for: ROAD/BRIDGE CONSTRUCTION MATERIALS

This bid is for the 6-month bidding period of January 1, 2021 thru June 30, 2021 for Road and Bridge Construction Material for Payne County.

BID # 2021-21 THRU BID # 2021-33 Date Published: NOVEMBER 19, 2020

Bidding Period Closing Date and Hour: DECEMBER 14, 2020 @ 9:30 A.M. Sealed Bid Opening Date and Hour: DECEMBER 14, 2020 @ 9:30 A.M.

Location: Commissioners Hearing Room 200, Payne County Administration Building.

Address: 315 W. 6th, Ste. 202, Stillwater, OK. 74074

Requesting Authority: PAYNE COUNTY COMMISSIONERS.

Zach Cavett - District # 1 - 918-225-1330 Rocky Blasier - District # 3 - 405-372-7758

Bid submissions are to be addressed to:

ATTN: Payne County Purchasing Agent Payne County Clerk's Office 315 W. 6th, Suite 202 Stillwater, OK 74074

Please review the attached Terms and Conditions pertaining to the submission of this bid.

Please pay particular attention to item (1) of the Terms and Conditions. This item specifies how the bid envelopes are to be identified to prevent inadvertent or premature opening of sealed bids. Your compliance will ensure consideration of your bid by the awarding body. Late bids will not be considered.

The Non-Collusions Affidavit bearing original signature must be notarized and returned with the bid submission. This packet contains:

- 1. Invitation to Bid
- 2. Terms and Conditions for Bidding
- 3. Affidavit for Filing with Competitive Bid
- 4. Specifications/Bid forms for desired item(s) (may be more than one page of information).

Glenna Craig, Payne County Cleri State of Oklahoma

315 W. 6th, Suite 202 Stillwater, OK 74074



Office of **GLENNA CRAIG**

Payne County Clerk

Terms and Conditions for Submitting Bids

- 1. Bids MUST be received in a sealed envelope by the date and time specified in the Invitation to Bid. Each envelope MUST be legibly marked on the outside with the following information: The word "BID", the Bid Number and the closing date. This information must be readily observable. Bid packets should be returned to: Payne County Purchasing Agent, Payne County Clerk's Office, 315 W. 6th, Suite 202, Stillwater, OK 74074; or brought to the Payne County Clerk's Office at the same address.
- 2. Sealed Bids will be opened by the authority requesting the bid, at the location and time specified in the published advertisement and on the "Invitation to Bid" form. Late Bids will not be considered.
- 3. Purchases by Payne County, Oklahoma, are not subject to State or Federal taxes.
- Firm prices will be F.O.B. destination.
- Unit prices will be guaranteed correct by the bidder
- The Bid is submitted as a legal offer and any Bid when accepted by the County, constitutes a firm contract.
- Oklahoma laws require each bidder submitting a bid to a county for goods, to furnish a notarized sworn, Affidavit for Filing with Competitive Bid (Affidavit is included in this bid packet).
- This particular bid (commonly referred to as "the six-month bid"), establishes base pricing by unit of measure, valid for a 6-month period (JANUARY 1 through JUNE 30) on a variety of materials and services used in the construction and maintenance of the Payne County road system.
- Vendors may cite extraordinary circumstances adversely affecting the base price during the defined 6-month period in their bid submission. Vendor must define a specific condition that will trigger a price increase (example: fuel exceeds \$3.599 per gallon). Vendor must also identify the amount of the increase by percentage or by dollar amount for each submitted bid item when specified condition is met. Vendors must verbally notify the Payne County Purchasing Agent of the intended base price increase caused by the specified condition, before the new base pricing becomes effective. Written notification of the intended price change is required not later than the conclusion of the business week following the verbal notification.
- 10. The Board of County Commissioners, in conjunction with the Payne County Purchasing Agent will analyze all qualifying bid submissions. The lowest and or best bid will be determined based on the following considerations:
 - Price per unit of measure.
 - Distance and delivery time to the desired destination.
 - Product source (manufacturer, retailer, jobber).
 - Product availability.
 - Product quality.
 - f. Vendor's reliability.
 - Specific conditions identified by the Vendor triggering a base price increase.
 - Any additional consideration as may be deemed appropriate by the Board of County Commissioners.

Continued on the next page



Office of GLENNA CRAIG

Payne County Clerk

- 11. The Payne County Board of Commissioners reserves the right to accept or reject any, and or all bids, and to make the bid award in the best interest of Payne County whether it be lowest bid or best bid.
- 12. Vendor does not need to return the entire bid packet with submission. The only things required to be submitted, are the Affidavit and the sheets for the items being bid.
- 13. NOTE: ALL BIDS MUST BE SUBMITTED ON OUR FORMS. BIDS SUBMITTED ON VENDOR LETTERHEAD OR OTHER FORMS WILL NOT BE ACCEPTED.



Office of GLENNA CRAIG

Payne County Clerk

S.A.&I. 425/1-4040 (2000)

AFFIDAVIT FOR FILING WITH COMPETITIVE BID

STATE OF OKLAHOMA)
)ss
COUNTY OF)
, of lawful age, being first duly sworn, on oath says, that (s)he is the agent authorized by the bidder to submit the attached bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any county official or employee as to quantity, quality or price in the prospective contract, or any other terms of said prospective contract, or in any discussions between bidders and any county official concerning exchange of money or other thing of value for special consideration in the letting of a contract.
Firm:
Signed by:(manual signature of undersigned)
Title:
Address:
City:State:
Zip:Tax ID:
Telephone ()Fax ()
Subscribed and sworn to before me this day of, 20
Notary Public (or Clerk or Judge)
My commission expires:
Note:
Each competitive bid submitted to a county, school district or municipality must be
accompanied with the above Affidavit as required by 61 Okl.St.Ann. § 138

6 MONTH BID LIST - ROAD/BRIDGE CONSTRUCTION MATERIALS JANAUARY 1, 2021 THRU JUNE 30, 2021 PAYNE COUNTY, STILLWATER, OKLAHOMA FY – 2020-2021

	SIX MONTH BID LIST	BID NUMBER
1.	ASPHALT MATERIALS	2021-21
2.	COLD PATCH	2021-22
3.	CONCRETE PRODUCTS	2021-23
4.	CORRUGATED STEEL PIPE	2021-24
5.	ROAD BED STABILIZERS	2021-25
6.	ROCK PRODUCTS	2021-26
7.	INTERLOCKING SHEETING & DECKING	2021-27
8.	NEW / USED PILING PIPE	2021-28
9.	PLATE & STRUCTURAL STEEL PRODUCTS	2021-29
10.	STEEL PIPE	2021-30
11.	NEW & USED GUARD RAILS, BRIDGE CLIPS	2021-31
12.	PETROLEUM PRODUCTS	2021-32
13.	CORRUGATED POLYPROPYLENE PIPE	2021-33

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 1
NOTICE:

BID #2021-21 SIX MONTH BID ASPHALT MATERIALS

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-21 SIX MONTH BID **ASPHALT MATERIALS** ITEM DESCRIPTION UNIT PICKED UP PRICE PRODUCT FOB PLANT OR PIT HMHL TON \$ FILL SAND TON \$ CLASS "A" SAND (C-33) TON \$ CONCRETE SAND TON \$ TON \$ PLANT CLEANUP ASPHALT FLY ASH AGGREGATE TON \$ 1 1/2" OR SMALLER "SCREENED" ASPHALT TON \$ LOCATION OF PLANT: Vendor Name: Vendor's Representative: Vendor's Phone # _____ Email:_____ Item 1

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 2

BID #2021-22 SIX MONTH BID COLD PATCH

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID # 2021-22 SIX MONTH BID COLD PATCH

SPECIFICATIONS AND GENERAL INFORMATION:

SEASONAL GRADE: To be applied when (THREE (3)	
temperature is:				35-65 degrees I (2-12) degrees	
Asphalt Property Kinematic Viscosity @ Flash Point Cleveland Percentage of water Distillation to 680 degree			Test ASTM D 2170 ASTM D 1310 ASTM D 95 ASTM D 402	700-1000cS 200 degrees F 0 Less than 0.2% See Values Belo	
		Volume b	v Total	Volume by Origi	nol
			(Min-Max)	Sample (Min-M	
				Sample (Will W	ux j
	Distillation Temperature				
	to 437 degrees F (225 degree)	0	0
	to 500 degrees F (260 degree)	0	0
	to 600 degrees F (316 degree	: 20)	2	12
	Residue from distillation to				
	680 degrees F (360 degrees 0	2)			
	% by difference			79	89
AGGREGATE					
Sieve Analysis		ASTM C	<u>135</u>	See Values Beld	<u>wc</u>
	Sieve Size		€50000 € 0000	7201 101420 G	
	1/2 "	Percent P	assing	Percent Passing	3
ř.	3/8"	100		100	
	#4	100		90-100	
	#8	85-100		20-55	
	#16	10-40		5-30	
	#50	0-10		0-10	
Soundness Loss (Soc		0-5	20	0-5	
Los Angelas Abrasion		ASTM C		12.0% max	
Specific Gravity	2000	ASTM C		40.0% max	
Absorption		ASTM C		2.55-2.7 %	
Minus 200 Sieve Was	h loss	ASTM C		1.0%-2.5% 2.0% max	
200 0.0.0 7740		AGTIVIC	111	2.070 IIIdX	

TESTS ON RESIDUE FROM DISTILLATION FOR G	RADES ABOVE:	
Asphalt Property	Test	Values
Absolute Viscosity @ 140 degrees F	ASTM D 2171	275-150 points
Penetration, Modified with core	ASTM D 5	180 min
Ducility, 39 degrees F 0.4/minute	ASTM D 113	100 min
Solubility in Trichloroethylene	ASTM D 2042	99% min
VENDOR WILL PROVIDE CERTIFIED MIX DESIGN	WITH BID.	
Payne County will bid Cold Patch Materials for patchin The material shall be bid per ton either delivered to Dis Warehouse or picked up at the plant. OPTION #1 Per ton to be picked up at the plant \$	strict #1 and District #3	
OPTION #2 District #1 (in Cushing) per ton delivered \$ State minimum order of tons: 35lb bags, delivered, per bag \$ 50 lb bags, delivered, per bag \$	state minimum	order of bags:order of bags:
District #3 (in Stillwater) per ton delivered \$ State minimum order of tons: 35lb bags, delivered, per bag \$ 50 lb bags, delivered, per bag \$	state minimum	order of bags:order of bags:
Brand name of Material: State Warrant on Material: State Location of Plant:		
Vendor Name:		
Vendor's Representative:		
Vendor's Phone #		

Email:_ Item 2

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 3 NOTICE: BID # 2021-23 SIX MONTH BID CONCRETE PRODUCTS

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-23 SIX MONTH BID CONCRETE PRODUCTS	×	PLANT LOCATION:
CEMENT PRODUCTS:		
TYPE 1 PORTLAND CEMENT	ţ.	
94 POUND BAGS NET	PER BAG	\$
BULK	PER TON	\$
CONCRETE MIX PRODUCTS:		
CEMENT SLURRY	PER DRY TON	\$
3500 MIX WITH AIR	SQ. YD.	\$
CLASS A WITH AIR	SQ. YD.	\$
CLASS AA WITH AIR	SQ. YD.	\$
COOLANT IN CONCRETE FLOWABLE FILL	SQ. YD.	\$
FREE MILEAGE MINIMUM	SQ. YD. MILES	\$ 25 MILES
COST AFTER FREE MILEAGE	CU/YD-MI	\$
PRICES INDICATED PER SQUARE YARI FUEL SURCHARGES, ENVIROMENTAL I AND NO MINIMUM ORDER CHARGE	D WILL NOT INCL FEES AND DELIV	UDE ANY: ERY FEES
Vendor Name:		_
Vendor's Representative:		
Vendor's Phone #		
Email:		

Item: 4

Payne County, Oklahoma 6- Month Bid, Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

NOTICE:

BID # 2021-24 SIX MONTH BID **CORRUGATED STEEL PIPE**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-24 SIX MONTH BID CORRUGATED STEEL PIPE ITEM DESCRIPTION	BID UNIT	DELIVERED SPIRAL PRICE
2-2/3 X 1/2 GA PIPE 15 X 16 GA. 15 END SECTION BAND	LIN. FT. EA. EA.	\$ \$ \$
18 X 16 GA.	LIN. FT.	\$
18 END SECTION	EA.	\$
BAND	EA.	\$
24 X 16 GA.	LIN. FT.	\$
24 END SECTION	EA.	\$
BAND	EA.	\$
30 X 16 GA.	LIN. FT.	\$
30 END SECTION	EA.	\$
BAND	EA.	\$
36 X 16 GA.	LIN. FT.	\$
36 END SECTION	EA.	\$
BAND	EA.	\$
42 X 16 GA.	LIN. FT.	\$
42 END SECTION	EA.	\$
BAND	EA.	\$
48 X 14 GA.	LIN. FT.	\$
48 END SECTION	EA.	\$
BAND	EA.	\$
54 X 14 GA.	LIN. FT.	\$
54 END SECTION	EA.	\$
BAND	EA.	\$
3 INCH X 1 INCH CORRUGATIONS 60 X 16 GA. 60 END SECTION BAND	LIN. FT. EA. EA.	\$ \$ \$
66 X 16 GA.	LIN. FT.	\$
66 END SECTION	EA.	\$
BAND	EA.	\$
72 X 16 GA.	LIN.FT.	\$
72 END SECTION	EA.	\$
BAND	EA.	\$
78 X 16 GA.	LIN. FT.	\$ Page 1 of 3

BID #2021-24 SIX MONTH BID **DELIVERED** CORRUGATED STEEL PIPE BID SPIRAL ITEM DESCRIPTION UNIT PRICE 78 END SECTION EA. \$ **BAND** EA. \$ 84 X 14 GA. LIN. FT. \$ 84 END SECTION EA. \$ **BAND** \$ EA. 90 X 14 GA. LIN. FT. \$ 90 END SECTION \$ EA. BAND EA. \$ 96 X 14 GA. LIN. FT. \$ 96 END SECTION EA. \$ EA. **BAND** \$ 102 X 14 GA. LIN. FT. \$ 102 END SECTION \$ EA. BAND \$ EA. 108 X 12 GA. LIN. FT. \$ 108 END SECTION EA. \$ **BAND** EA. \$ 114 X 12 GA. LIN. FT. \$ 114 END SECTION EA. \$ BAND EA. \$ 2 2/3 X 1/2 CORRUGATIONS 17 X 13 16 GA. LIN. FT. \$ **END** \$ EA. **BAND** \$ EA. 21 X 15 16 GA. LIN. FT. \$ **END** EA. \$ **BAND** EA. \$ 24 X 18 16 GA. LIN. FT. \$ **END** EA. \$ BAND \$ EA. 28 X 20 16 GA. LIN. FT. \$ **END** EA. \$ **BAND** EA. \$ 35 X 24 16 GA. LIN. FT. \$ END \$ EA. BAND \$ EA. 42 X 29 14 GA. LIN. FT. \$ **END** \$ EA. BAND EA. \$ 49 X 33 14 GA. LIN. FT. \$

\$

Page 2 of 3

EA.

END

BID #2021-24 SIX MONTH BID CORRUGATED STEEL PIPE ITEM DESCRIPTION	BID UNIT	DELIVERED SPIRAL PRICE
BAND	EA.	\$
57 X 38 12 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
64 X 43 12 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
CORRUGATED STEEL PIPE ARCH 3 INCH X 1 INCH CORRUGATIONS		
66 X 51 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
73 X 55 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
81 X 59 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
87 X 63 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
95 X 67 12 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
103 X 71 12 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
Vendor Name: Vendor's Representative:		
Vendor's Phone #		
Email:ltem 4		

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 5

BID #2021-25 SIX MONTH BID

ROAD BED STABILIZERS

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-25 SIX MONTH BID ROAD BED STABILIZERS ITEM DESCRIPTION

FLY ASH	PER TON, DELIVERED PLANT LOCATION SPREADER BAR / TON	\$
CEMENT KILN DUST	PER TON, DELIVERED PLANT LOCATION: SPREADER BAR / TON	\$
PORTLAND TYPE 1-2	PER TON, DELIVERED PLANT LOCATION: SPREADER BAR / TON	\$ \$
CALCIUM CHLORIDE	PER GAL. TRUCKLOAD, GALLON	\$
AMMONIUM LIGIN SULFATE	TRUCKLOAD, GAL	\$
MAGNESIUM CHLORIDE	PER GAL. TRUCKLOAD GALLON	\$
BRAND NAME:		
Vendor Name:		
Vendor's Representative:		
Vendor's Phone #		
Email:		
Item 5		

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 6

BID #2021-26 SIX MONTH BID ROCK PRODUCTS

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-26		
SIX MONTH BID	PLANT	PLANT
ROCK PRODUCTS	LOCATION:	LOCATION:
CRUSHED STONE:	UNIT ———	
YARD CLEAN UP ROCK	PER TON \$	\$
WASHED SCREENINGS	PER TON \$	\$
SCREENINGS	PER TON \$	
1/2 INCH DOWN	PER TON \$	\$ \$
AG LIME / INDUSTRIAL AGGREGATE	PER TON \$	\$
CLASS A ROCK:		
1 1/2 INCH (#57)	PER TON \$	\$
3/4 INCH (#67)	PER TON \$	\$
CRUSHER RUN:		
1 1/2 INCH	PER TON \$	\$
3 INCH	PER TON \$	\$
FILTERED BLANKET 4-5"	PER TON \$	
1-1/2 INCH SURGE ROCK	PER TON \$	\$ \$ \$
1-1/2 INCH FILTER STONE	PER TON \$	\$
SURGE ROCK	PER TON \$	\$
10 1/4 " RIP RAP QUARRY RUN	PER TON \$	\$
12", 18", 24" RIP RAP	PER TON \$	***************************************
GABION STONE	PER TON \$	\$
TBSC OR SABM (all sizes same price)	PER TON \$	
INSOLUABLE ROCK (all sizes same \$)	PER TON \$	\$
ROAD ROCK	PER TON \$	\$
SHOT ROCK	PER TON \$	\$
Vendor Name:		
Vendor's Representative:		
Vendor's Phone #		
Email:		
Item 6		

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 7

BID #2021-27 SIX MONTH BID

INTERLOCKING SHEETING AND DECKING

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-27		
SIX MONTH BID	6 MONTH	6 MONTH
INTERLOCKING SHEETING AND DEC	1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	PICKED UP
TEM DESCRIPTION	BID UNIT PRICE	PRICE
21.7 BLACK INTERLOCKING SHEETING		
12 GAUGE	SQ. FT. \$	\$
10 GAUGE	SQ. FT. \$	\$
8 GAUGE	SQ. FT. \$	\$
7 GAUGE	SQ. FT. \$	\$
21.7 GALVANIZED INTERLOCKING SHEETING		
12 GAUGE	SQ. FT. \$	\$
10 GAUGE	SQ. FT. \$	\$
8 GAUGE	SQ. FT. \$	
7 GAUGE	SQ. F'\$	\$
	· · · · · · · · · · · · · · · · · · ·	
18" BLACK INTERLOCKING SHEETING		
12 GAUGE	SQ. FT. \$	\$
10 GAUGE	SQ. FT. \$	\$
8 GAUGE	SQ. FT. \$	\$
7 GAUGE	SQ. FT. \$	\$
18" GALVINIZED INTERLOCKING SHEETING		
12 GAUGE	SQ. FT. \$	\$
10 GAUGE	SQ. FT. \$	\$
8 GAUGE	SQ. FT. \$	\$
7 GAUGE	SQ. FT. \$	\$
		-
22 GA PAINTED DECKING	SQ. FT. \$	\$
11 GUAGE SHEETING	SQ. FT. \$	\$
LOCATION OF THE COMPANY:		
Vendor Name:		
Vendor's Representative:		
Vendor's Phone #		
Email:		

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021 Item: 8 NOTICE: BID #2021-28 Must meet all requirements of Oklahoma Department of Transportation, SIX MONTH BID "Standard Specifications for Highway Construction", 2009 Edition **NEW/USED PILING PIPE** BID #2021-28 GO TO NEAREST CENT. SIX MONTH BID **NEW/USED PILING PIPE** DELIVERED **DELIVERED** ITEM DESCRIPTION UNIT PRICE PRICE NEW USED STEEL PIPE,1/2 INCH WALL OR THICKER 7 INCH LN. FT. 8 INCH LN. FT. \$ \$ 9 INCH \$ \$ LN. FT. 10 INCH \$ LN. FT. 12 INCH LN. FT. STEEL PIPE, .375 INCH WALL OR THICKER 7 INCH LN. FT. 8 INCH LN. FT. \$ \$ 9 INCH LN. FT. \$ 10 INCH LN. FT. \$ \$ 12 INCH LN. FT. STEEL PIPE, 1/4 INCH WALL OR THICKER 12 INCH LN. FT. 14 INCH LN. FT. \$ 16 INCH \$ LN. FT. 18 INCH LN. FT. \$ \$ 20 INCH LN. FT. \$ 22 INCH \$ LN. FT. \$ 24 INCH LN. FT. \$ 26 INCH LN. FT. \$ \$ 30 INCH \$ \$ LN. FT. 36 INCH \$ LN. FT. 42 INCH LN. FT. LOCATION OF THE COMPANY: Vendor Name:_ Vendor's Representative:

Payne County, Oklahoma 6- Month Bid,

Vendor's Phone # _____

Email:_ Item 8

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 9 NOTICE: BID #2021-29
SIX MONTH BID
PLATE & STRUCTURAL
STEEL PRODUCTS

Must meet all requirements of Oklahoma Department of Transportation,

"Standard Specifications for Highway Construction", 2009 Edition

BID #2021-29 SIX MONTH BID PLATE & STRUCTURAL STEEL P ITEM DESCRIPTION	RODUCTS BID UNIT	NEW 6 MONTH DELIVERED PRICE	ROUND TO THE NEAREST CENT USED OR REJECTED 6 MONTH DELIVERED PRICE
3/16 INCH PLATE STEEL	PER LB.	\$	\$
1/4 INCH PLATE STEEL	PER LB.	\$	\$
5/16 INCH PLATE STEEL	PER LB.	\$	\$
3/8 INCH PLATE STEEL	PER LB.	\$	\$
7/16 INCH PLATE STEEL	PER LB.	\$	\$
1/2 INCH PLATE STEEL	PER LB.	\$	\$
I-BEAMS	PER LB.	\$	\$
H-BEAMS	PER LB.	\$	\$
CHANNEL IRON	PER LB.	\$	\$
ANGLE IRON	PER LB.	\$	\$
#3 3/8 INCH	LN. FT.	\$	\$
#4 1/2 INCH	LN. FT.	\$	\$
#5 5/8 INCH	LN. FT.	\$	\$
#6 3/4 INCH	LN. FT.	\$	\$
#7 7/8 INCH	LN. FT.	\$	\$
#8 1 INCH	LN. FT.	\$	\$
LOCATION OF THE COMPANY: Vendor Name: Vendor's Representative: Vendor's Phone # Email: Item 9			

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 10

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition (STEEL TANK CARS)

BID #2021-30 SIX MONTH BID STEEL PIPE

BID #2021-30 SIX MONTH BID

SIX MONTH BID		
STEEL PIPE		DELIVERED
ITEM DESCRIPTION	UNIT	PRICE
3/8 INCH WALL THICKNESS		711102
3 1/2 FT. DIA.	LIN. FT.	\$
4 FT. DIA.	LIN. FT.	\$
4 1/2 FT. DIA.	LIN. FT.	Φ.
5 FT. DIA.	LIN. FT.	\$
5 1/2 FT. DIA.		\$
6 FT. DIA.	LIN. FT. LIN. FT.	\$
6 1/2 FT. DIA.		\$
7 FT. DIA.	LIN. FT.	\$
7 1/2 FT. DIA.	LIN. FT.	\$
8 FT. DIA.	LIN. FT.	\$
	LIN. FT.	\$
8 1/2 FT. DIA.	LIN. FT.	\$
9 FT. DIA.	LIN. FT.	\$
10 FT. DIA.	LIN. FT.	\$
1/2 INCH WALL THICKNESS		
7 FT. DIA.	LIN. FT.	\$
7 1/2 FT. DIA.	LIN. FT.	\$
8 FT. DIA.	LIN. FT.	\$
8 1/2 FT. DIA.	LIN. FT.	\$
9 FT. DIA.	LIN. FT.	\$
9 1/2 FT. DIA.	LIN. FT.	\$
10 FT. DIA.	LIN. FT.	\$
10 1/2 FT. DIA.	LIN. FT.	\$
3/4 INCH OR BETTER		
WALL THICKNESS		
7 FT. DIA.	LIN. FT.	\$
7 1/2 FT. DIA.	LIN. FT.	\$
8 FT. DIA.	LIN. FT.	\$
8 1/2 FT. DIA.	LIN. FT.	\$
9 FT. DIA.	LIN. FT.	\$
9 1/2 FT. DIA.	LIN. FT.	\$
10 FT. DIA.	LIN. FT.	\$
10 1/2 FT. DIA.	LIN. FT.	\$ \$
10 1/21 1. 51/1.	LIIN. I I.	Ψ
COMPANY LOCATION:		
Vandar Namer		
Vendor Name:	-	
Vendor's Representative:		
Vendor's Phone #		
Email:		
Item 10		*

Payne County, Oklahoma 6- Month Bid, Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

Item: 11 NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,

"Standard Specifications for Highway Construction", 2009 Edition

BID #2021-31 SIX MONTH BID

COMPANY LOCATION:

NEW AND USED GUARD RAILS, BRIDGE CLIPS

ITEM DESCRIPTION **BID UNIT GUARD RAIL** LIN. FT. _____ **NEW GUARDRAIL USED GUARDRAIL END WINGS NEW END WINGS EACH USED END WINGS EACH GUARD RAIL POSTS** NEW **EACH** USED **EACH**

Vendor Name:	
Vendor's Representative:	11,
Vendor's Phone #	
Email:	
Item 11	

BID #2021-31 SIX MONTH BID **NEW AND USED GUARD RAILS, BRIDGE CLIPS**

Payne County, Oklahoma 6- Month Bid, Effective Date: JANUARY 1, 2021 THRU JUNE Item: 12 NOTICE:	30, 2021				BID #2021-32 SIX MONTH BID PETROLEUM PRODUCTS
BID #2021-32 SIX MONTH BID PETROLEUM PRODUCTS DELIVERY TO: DISTRICT #1, DISTRICT #3 OR SHERIFF DEPT. ITEM DESCRIPTION **MOTOR OIL SPECIFICATIONS** ENGINE OIL (APICI-4/ CI-4 PLUS and API CH-4	MEET SPECS X=NO ✓ =YES	UNIT	6 MONTH PRICE	MEET SPECS X=NO V=YES	6 MONTH ALT BID
HD 15-40 WT DET. MOTOR OIL 1 CASE OF (4) 1 GALLON CONTAINERS BULK 3 GAL. 5 GAL. 55 GAL. BRAND **HYDRAULIC OIL SPECIFICATIONS** Cat ECF-1-a, Cat ECF-2, Cat ECF-3, Cat TO-4, Cat TO-4M performance requirements, and th	at have a	EACH EACH EACH EACH	\$ \$		\$ \$ \$ \$
minimum zinc additive level of 0.09 percent (9 Commercial biodegradable hydraulic oil must Cat BF-2 specification. UNIV. HYDRAULIC OIL	(mag000				
5 GAL. 55 GAL. BULK BRAND		EACH EACH			\$ \$
10 WT HYDRAULIC OIL TL-4 5 GAL. 55 GAL. BULK BRAND		EACH EACH	\$		\$ \$ \$
30 WT HYDRAULIC OIL TL-4 5 GAL. 55 GAL. BULK BRAND		EACH EACH	\$		\$ \$ \$
30 WT TORQUE FLUID 5 GAL. 55 GAL. BULK BRAND		EACH EACH EACH	\$		\$ \$ \$
ANTIFREEZE HD GREEN 6 GAL. 55 GAL. BULK HD RED 6 GAL. 55 GAL. BULK		EACH EACH EACH EACH EACH EACH	\$ \$ \$ \$		FULL STRENGTH \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$

GREASE SPECIFICATIONS

NLGI Consistency Number 2
Worked Penetration, ASTM D217 265-295
Dropping Point, ASTM D2265, °F (°C) 290 (143)
Water Washout, ASTM D1264, % loss @ 100°F 0.9
Rust Prevention, ASTM D1743, rating Pass

Oil Separation, ASTM D1743, % loss <1 Timken OK Load, ASTM D2509, lb. 55 Four-Ball Wear, ASTM D2266, mm 0.6 Four-Ball EP Weld Point, ASTM D2596, kgf 250 Four-Ball Last Non-Seizure Load, ASTM D2596, kgf 65 Approximate Application Temperature Range, °F (°C) 0 to 250 (-18 to 121) Base Oil Viscosity: 40°C, cSt 1080 **HI TEMP GREASE SPECIFICATIONS** NLGI Consistency Number 1 2 NLGI Certified, ASTM D4950 GC-LB Worked Penetration, ASTM D217 310-340 Dropping Point, ASTM D2265, °F (°C) 500 (260) 550 (288) Water Washout, ASTM D1264, % loss @ 175°F 9.4 2.5 Rust Prevention, ASTM D1743, rating Pass Copper Corrosion, ASTM D4048, rating 1b 1b Oil Separation, ASTM D1742, % loss 2 1 Timken OK Load, ASTM D2509, lb. 70 80 Four-Ball Wear, ASTM D2266, mm 0.45 0.45 Four-Ball EP Weld, ASTM D2596, kgf 315 315 Four-Ball Load Wear Index, ASTM D2596, kgf 50 Approximate Temperature Range, °F (°C) -10 to 325 (-23 to 163) Base Oil Viscosity: 40°C, cSt 630 630 **GREASE CARTRIDGES NL 612 LITHIUM BASED GEN PURPOSE** HI TEMP **30 CNT** EACH \$ 60 CNT. **EACH BRAND GROUP IV SYNTHETICS** 75W-90 GEAR LUBE 5 GAL. EACH \$ 16 GAL. EACH \$ 55 GAL. EACH \$ **BRAND** 80W-90 GEAR LUBE 1 GAL. EACH \$ 5 GAL. EACH \$ 55 GAL. EACH \$ **BRAND** TRACTOR/HYDR TRANS OIL SAE 5W-30 5 GAL. EACH \$ 30 GAL. EACH \$ 55 GAL. EACH \$ BRAND SYNTHETIC MULTI-PURPOSE GREASE 10 14 Oz. Cart EACH \$ 40 14 Oz Cart EACH \$ 12 24 Oz. Bottles EACH \$ **BRAND** ***VENDORS PLEASE PROVIDE SPECS FOR ANY PRODUCTS LISTED IN THIS BID*** Vendor Name: Vendor's Representative:_____ Vendor's Phone # ____ Email: Item 12

Effective Date: JANUARY 1, 2021 THRU JUNE 30, 2021

ITEM: 13

NOTICE:

BID # 2021-33 AASH TO 330 HWY SPECIFICATION CORRUGATED POLYPROPYLENE PIPE

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID # 2021-33

SIX MONTH BID, POLYETHYLE LYPROPYLENE PIPE

AASHTO 330 HIGHWAY SPECIFICATION

CORRUGATED POLYPROPYLENE PIPE

20' & 13' LENGTHS AVAILABLE--ALL PIPE WATERTIGHT

ITEM DESCRIPTION	PRICE	\$/LF
		, et al. and a
12" CORRUGATED POLYPROPYLENE PIPE 12" COUPLER	\$	LF EACH
15" CORRUGATED POLYPROPYLENE PIPE 15" COUPLER	\$	LF EACH
18" CORRUGATED POLYPROPYLENE PIPE 18" COUPLER	\$	LF EACH
21" CORRUGATED POLYPROPYLENE PIPE 21" COUPLER	\$	LF EACH
24" CORRUGATED POLYPROPYLENE PIPE 24" COUPLER	\$	LF EACH
30" CORRUGATED POLYPROPYLENE PIPE 30" COUPLER .	\$	LF EACH
36" CORRUGATED POLYPROPYLENE PIPE 36" COUPLER	\$	LF EACH
42" CORRUGATED POLYPROPYLENE PIPE 42" COUPLER	\$	LF EACH
48" CORRUGATED POLYPROPYLENE PIPE 48" COUPLER	\$	LF EACH
60" CORRUGATED POLYPROPYLENE PIPE 60" COUPLER	\$	LF EACH

DUAL WALL POLYPROPYLENE PIPE
ALL PIPE IS AASHTO (HWY) RATED UNDER SPEC M330
FOR USE UNDER ROADWAY
APPLICATIONS CAPABLE OF H-25 TRAFFIC LOADS
PER MANUFACTURERS RECOMMENDED INSTALLATION
PROCEDURES.

LOCATION OF THE COMPANY:	
Vendor Name:	
Vendor's Representative:	
Vendor's Phone #	
Email:	
Item 13	