PAYNE COUNTY BOARD OF COUNTY COMMISSIONERS STILLWATER, OKLAHOMA

"NOTICE TO BIDDERS"

Notice is hereby given that the Payne County Board of Commissioners State of Oklahoma, will receive sealed bids for the following:

6 MONTH BIDS BID # 2023-24 THRU BID # 2023-39 ROAD/BRIDGE CONSTRUCTION MATERIALS

THIS BID IS FOR THE 6-MONTH BIDDING PERIOD OF JANUARY 1, 2023 THRU JUNE 30, 2023, FOR ROAD/BRIDGE CONSTRUCTION MATERIAL FOR PAYNE COUNTY, STILLWATER, OKLAHOMA

Bid documents may be picked up at the Payne County Clerk's Office at 315 W. 6th, Suite 202, Payne County Administration Building, Stillwater, Oklahoma, or call 405-747-8348 to request that they be mailed.

Bids should be mailed or hand delivered to the Payne County Clerk, 315 W. 6th, Suite 202, Stillwater, OK. 74074. Bids must be filed with the Payne County Clerk on or before 9:30 A.M. on DECEMBER 5, 2022. Bids must be sealed and clearly marked:

BID # 2023-24 THRU # 2023-39
OPENING: DECEMBER 5, 2022 @ 9:30 A.M.
6 MONTH BIDS
ROAD/BRIDGE CONSTRUCTION MATERIALS

The Board of County Commissioners, or their appointed representative, will evaluate all bids, and reserves the right to reject any, or all the bids, and reserves the right to waive any of the listed specifications. The Board of County Commissioners reserves the right to accept the bid determined to best serve the needs of Payne County.

Payne County hereby notifies all bidders that it will affirmatively ensure that, in any contract, entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex or national origin in consideration for an award.

Kyla McCombs Purchasing Agent



Payne County Clerk

6 Month Bids Road / Bridge Construction Material Bid # 2023-24 thru # 2023-39 January 1, 2023 thru June 30, 2023

Vendor and or company representative,

Included in this correspondence you will find information, in regards to, bid specifications, packet information, and instructions per the Payne County Commissioners who are requesting your company submit a bid for the enclosed project or materials.

The enclosed packet has been developed and approved by the Payne County Commissioners, the content of the packet is per their instruction. The Payne County Clerk's office is the facilitator of the bid process and is required to receive and hold all sealed bids per Oklahoma State Statutes to present to the Board of Commissioners in an open session.

If you have any questions, in regards, to the pack content, specifications, and instructions please contact the following:

Payne County Commissioners
District # 1 - Zach Cavett - 918-225-1330
District # 3 - Rocky Blasier - 405-372-7758

We appreciate your bid and time, in regards, to the process. We look forward to hearing from you.

Kind Regards,

Glenna Craig, Payne County Clerk

State of Oklahoma

All bids can now be mailed, or emailed to vendors, or can be downloaded for completion from our website: www.countyclerk.paynecounty.org.

CONTACT KYLA MCCOMBS-PAYNE COUNTY PURCHASING AGENT FOR EMAIL OR MAILED BIDS AT: kmccombs@paynecountyclerk.org

ALL BIDS MUST BE SUBMITTED BACK TO THE PAYNE COUNTY CLERKS OFFICE BY MAIL, OR IN PERSON SEALED BEFORE 9:30 THE DATE OF BID OPENING.



Payne County Clerk

INVITATION TO BID

The Board of County Commissioners, Payne County, Oklahoma is seeking sealed bids for:

ROAD/BRIDGE CONSTRUCTION MATERIALS

This bid is for the 6-month bidding period of January 1, 2023 thru June 30, 2023 for Road and Bridge Construction Material for Payne County.

BID # 2023-24 THRU BID # 2023-39 Date Published: NOVEMBER 19, 2022

Bidding Period Closing Date and Hour: DECEMBER 5, 2022 @ 9:30 A.M. Sealed Bid Opening Date and Hour: DECEMBER 5, 2022 @ 9:30 A.M.

Location: Commissioners Hearing Room 200, Payne County Administration Building.

Address: 315 W. 6th, Ste. 202, Stillwater, OK. 74074

Requesting Authority: PAYNE COUNTY COMMISSIONERS.

Zach Cavett - District # 1 - 918-225-1330 Rocky Blasier - District # 3 - 405-372-7758

Bid submissions are to be addressed to:

ATTN: Payne County Purchasing Agent Payne County Clerk's Office 315 W. 6th, Suite 202 Stillwater, OK 74074

Please review the attached Terms and Conditions pertaining to the submission of this bid.

Please pay particular attention to item (1) of the Terms and Conditions. This item specifies how the bid envelopes are to be identified to prevent inadvertent or premature opening of sealed bids. Your compliance will ensure consideration of your bid by the awarding body. Late bids will not be considered.

The Non-Collusions Affidavit bearing original signature must be notarized and returned with the bid submission. This packet contains:

- 1. Invitation to Bid
- 2. Terms and Conditions for Bidding
- 3. Affidavit for Filing with Competitive Bid
- 4. Specifications/Bid forms for desired item(s) (may be more than one page of information).

Glenna Craig, Payne County Clerk

State of Oklahoma 315 W. 6th, Suite 202 Stillwater, OK 74074



Payne County Clerk

Terms and Conditions for Submitting Bids

- Bids MUST be received in a sealed envelope by the date and time specified in the Invitation to Bid. Each envelope
 MUST be legibly marked on the outside with the following information: The word "BID", the Bid Number and the
 closing date. This information must be readily observable. Bid packets should be returned to: Payne County
 Purchasing Agent, Payne County Clerk's Office, 315 W. 6th, Suite 202, Stillwater, OK 74074; or brought to the Payne
 County Clerk's Office at the same address.
- 2. Sealed Bids will be opened by the authority requesting the bid, at the location and time specified in the published advertisement and on the "Invitation to Bid" form. Late Bids will not be considered.
- 3. Purchases by Payne County, Oklahoma, are not subject to State or Federal taxes.
- 4. Firm prices will be F.O.B. destination.
- 5. Unit prices will be guaranteed correct by the bidder
- 6. The Bid is submitted as a legal offer and any Bid when accepted by the County, constitutes a firm contract.
- 7. Oklahoma laws require each bidder submitting a bid to a county for goods, to furnish a notarized sworn, Affidavit for Filing with Competitive Bid (Affidavit is included in this bid packet).
- 8. This particular bid (commonly referred to as "the six-month bid"), establishes base pricing by unit of measure, valid for a 6-month period (JANUARY 1 through JUNE 30) on a variety of materials and services used in the construction and maintenance of the Payne County Road system.
- 9. Vendors may cite extraordinary circumstances adversely affecting the base price during the defined 6-month period in their bid submission. Vendor must define a specific condition that will trigger a price increase (example: fuel exceeds \$3.599 per gallon). Vendor must also identify the amount of the increase by percentage or by dollar amount for each submitted bid item when specified condition is met. Vendors must verbally notify the Payne County Purchasing Agent of the intended base price increase caused by the specified condition, before the new base pricing becomes effective. Written notification of the intended price change is required not later than the conclusion of the business week following the verbal notification.
- 10. The Board of County Commissioners, in conjunction with the Payne County Purchasing Agent will analyze all qualifying bid submissions. The lowest and or best bid will be determined based on the following considerations:
 - a. Price per unit of measure.
 - b. Distance and delivery time to the desired destination.
 - c. Product source (manufacturer, retailer, jobber).
 - d. Product availability.
 - e. Product quality.
 - f. Vendor's reliability.
 - g. Specific conditions identified by the Vendor triggering a base price increase.
 - h. Any additional consideration as may be deemed appropriate by the Board of County Commissioners.

Continued on the next page



Payne County Clerk

- 11. The Payne County Board of Commissioners reserves the right to accept or reject any, and or all bids, and to make the bid award in the best interest of Payne County whether it be lowest bid or best bid.
- 12. Vendor does not need to return the entire bid packet with submission. The only things required to be submitted, are the Affidavit and the sheets for the items being bid.
- 13. NOTE: ALL BIDS MUST BE SUBMITTED ON OUR FORMS. BIDS SUBMITTED ON VENDOR LETTERHEAD OR OTHER FORMS WILL NOT BE ACCEPTED.



Payne County Clerk

S.A.&I. 425/1-4040 (2000)

AFFIDAVIT FOR FILING WITH COMPETITIVE BID

STATE OF OKLAHOMA)
)ss
COUNTY OF)
, of lawful age, being first duly sworn, on oath says, that (s)he is the agent authorized by the bidder to submit the attached bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any county official or employee as to quantity, quality or price in the prospective contract, or any other terms of said prospective contract, or in any discussions between bidders and any county official concerning exchange of money or other thing of value for special consideration in the letting of a contract.
Firm:
Signed by: (manual signature of undersigned) Title:
Address:
City:State:
Zip:Tax ID:
Telephone ()Fax ()
Subscribed and sworn to before me this day of
Notary Public (or Clerk or Judge)
My commission expires:
Note:
Each competitive bid submitted to a county, school district or municipality must be
accompanied with the above Affidavit as required by 61 Okl.St.Ann. § 138

6 MONTH BID LIST - ROAD/BRIDGE CONSTRUCTION MATERIALS JANUARY 1, 2023 THRU JUNE 30, 2023 PAYNE COUNTY, STILLWATER, OKLAHOMA

FY: 2022-2023

SIX MONTH BID LIST	BID NUMBER
1. ASPHALT MATERIALS	2023-24
2. COLD PATCH	2023-25
3. CONCRETE PRODUCTS	2023-26
4. CORRUGATED STEEL PIPE	2023-27
5. ROAD BED STABILIZERS	2023-28
6. ROCK PRODUCTS	2023-29
7. INTERLOCKING SHEETING & DECKING	2023-30
8. NEW/USED PILING PIPE	2023-31
9. PLATE & STRUCTURAL STEEL PRODUCTS	2023-32
10. STEEL PIPE	2023-33
11. NEW/USED GUARD RAILS, BRIDGE CLIPS	2023-34
12. PETROLEUM PRODUCTS	2023-35
13. CORRUGATED PLYPROPYLENE PIPE	2023-36
14. HERBICIDES	2023-37
15. EROSION PREVENTION BLOCK MATS	2023-38
16. TIRES	2023-39

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 1
NOTICE:

BID #2023-24 SIX MONTH BID ASPHALT MATERIALS

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2023-24
SIX MONTH BID
ASPHALT MATERIAL

ITEM DESCRIPTION	UNIT	PICKED UP PRICE
PRODUCT FOB PLANT OR PIT	51111	, IONED OF TRIOE
HMHL	TON	\$
FILL SAND	TON	\$
CLASS "A" SAND (C-33)		\$
CONCRETE SAND		\$
PLANT CLEANUP ASPHALT	TON	\$
FLY ASH AGGREGATE	TON	\$
1 1/2" OR SMALLER "SCREENED" ASPHALT	TON	\$
LOCATION OF PLANT:		
Vendor Name:		
Vendor's Representative:		
Vendor's Phone #	· · · · · · · · · · · · · · · · · · ·	
Email:		

Payne County, Oklahoma 6- month Bid, **Effective Date**: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 2

BID #2023-25 SIX MONTH BID COLD PATCH

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID # 2023-25 SIX MONTH BID COLD PATCH

SPECIFICATIONS AND GENERAL INFORMATION:

SEASONAL GRADE: To be applied when (THREE (3)	
temperature is:	approximate)			35-65 degrees (2-12) degrees	
Asphalt Property Kinematic Viscosity @ Flash Point Cleveland Percentage of water Distillation to 680 deg			Test ASTM D 2170 ASTM D 1310 ASTM D 95 ASTM D 402	700-1000cS 200 degrees F Less than 0.2% See Values Bel	
		Volume to Distillate	oy Total <u>(Min-Max)</u>	Volume by Orig Sample (Min-N	
	Distillation Temperature to 437 degrees F (225 degree to 500 degrees F (260 degree to 600 degrees F (316 degree Residue from distillation to 680 degrees F (360 degrees % by difference	e: (e: 20	0 0 0	0 0 2 79	0 0 12
AGGREGATE Sieve Analysis	76 by difference	ASTM C	<u>135</u>	See Values Bel	
Soundness Loss (So Los Angelas Abrasion Specific Gravity Absorption Minus 200 Sieve Wa	n Loss	100 85-100 10-40 0-10 0-5 ASTM C ASTM C ASTM C ASTM C	88 131 127 128	Percent Passin 100 90-100 20-55 5-30 0-10 0-5 12.0% max 40.0% max 2.55-2.7 % 1.0%-2.5% 2.0% max	g

TESTS ON RESIDUE FROM DISTILLATION FOR GRADES ABOVE: Asphalt Property Test Values Absolute Viscosity @ 140 degrees F 275-150 points **ASTM D 2171** Penetration, Modified with core ASTM D 5 180 min Ducility, 39 degrees F 0.4/minute **ASTM D 113** 100 min Solubility in Trichloroethylene **ASTM D 2042** 99% min VENDOR WILL PROVIDE CERTIFIED MIX DESIGN WITH BID. Payne County will bid Cold Patch Materials for patching holes in existing roadways. The material shall be bid per ton either delivered to District #1 and District #3 Warehouse or picked up at the plant. **OPTION #1** Per ton to be picked up at the plant \$ _____ 35lb bags, to be picked up at the plant \$_____ 50 lb bags to be picked up at the plant \$ OPTION #2 District #1 (in Cushing) per ton delivered \$ State minimum order of tons: _____ 35lb bags, delivered, per bag \$ _____ state minimum order of bags: 50 lb bags, delivered, per bag \$ state minimum order of bags: District #3 (in Stillwater) per ton delivered \$ _____ State minimum order of tons: _____ 35lb bags, delivered, per bag \$ _____ state minimum order of bags: _____ 50 lb bags, delivered, per bag \$ _____ state minimum order of bags: _____ Brand name of Material: State Warrant on Material: State Location of Plant: _____ Vendor Name: Vendor's Representative: Vendor's Phone # _____

Email:_ Item 2

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 3
NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID # 2023-26 SIX MONTH BID CONCRETE PRODUCTS

BID #2023-26		
SIX MONTH BID		PLANT
CONCRETE PRODUCTS		LOCATION:
		200/111011.
RECYCLED CONCRETE:		
CONCRETE SCREENINGS	PER TON	\$
1 1/2 " CRUSHED CONCRETE	PER TON	\$
3" CRUSHED CONCRETE	PER TON	\$
3-5" OVERSIZE CONCRETE	PER TON	\$
CEMENT PROPULATO		
TYPE 1 PORTLAND CEMENT		
94 POUND BAGS NET	PER BAG	¢.
BULK	PER BAG PER TON	\$
BOLIN	FER TON	Ψ
CONCRETE MIX PRODUCTS:		
3500 MIX WITH AIR	SQ. YD.	\$
CLASS A WITH AIR	SQ. YD.	\$
CLASS AA WITH AIR	SQ. YD.	\$
COOLANT IN CONCRETE	SQ. YD.	\$
FLOWABLE FILL	SQ. YD.	\$
FREE MILEAGE MINIMUM	MILES	25 MILES
COST AFTER FREE MILEAGE	CU/YD-MI	\$
PRICES INDICATED PER SQUARE YARD V		
FUEL SURCHARGES, ENVIROMENTAL FE AND NO MINIMUM ORDER CHARGE	ES AND DELIV	ERY FEES
Vendor Name:		_
Vendor's Representative:		_
Vendor's Phone #		
Email:		
Item 3		

Payne County, Oklahoma 6- Month Bid, **Effective Date**: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 4 NOTICE: BID # 2023-27 SIX MONTH BID **CORRUGATED STEEL PIPE**

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2023-27 SIX MONTH BID CORRUGATED STEEL PIPE ITEM DESCRIPTION	BID UNIT	DELIVERED SPIRAL PRICE	
2-2/3 X 1/2 GA PIPE 15 X 16 GA. 15 END SECTION BAND	LIN. FT. EA. EA.	\$ \$ \$	
18 X 16 GA.	LIN. FT.	\$	
18 END SECTION	EA.	\$	
BAND	EA.	\$	
24 X 16 GA.	LIN. FT.	\$	
24 END SECTION	EA.	\$	
BAND	EA.	\$	
30 X 16 GA.	LIN. FT.	\$	
30 END SECTION	EA.	\$	
BAND	EA.	\$	
36 X 16 GA.	LIN. FT.	\$	
36 END SECTION	EA.	\$	
BAND	EA.	\$	
42 X 16 GA.	LIN. FT.	\$	
42 END SECTION	EA.	\$	
BAND	EA.	\$	
48 X 14 GA.	LIN. FT.	\$	
48 END SECTION	EA.	\$	
BAND	EA.	\$	
54 X 14 GA. 54 END SECTION BAND	LIN. FT. EA. EA.	S	
3 INCH X 1 INCH CORRUGATIONS 60 X 16 GA. 60 END SECTION BAND	LIN. FT. EA. EA.	T. \$	
66 X 16 GA. 66 END SECTION BAND	LIN. FT. EA. EA.	T. \$	
72 X 16 GA.	LIN.FT.	\$	
72 END SECTION	EA.	\$	
BAND	EA.	\$	

BID #2023-27 SIX MONTH BID CORRUGATED STEEL PIPE ITEM DESCRIPTION	BID UNIT	DELIVERED SPIRAL PRICE
78 X 16 GA. 78 END SECTION BAND	LIN. FT. EA. EA.	\$ \$
84 X 14 GA.	LIN. FT.	\$
84 END SECTION	EA.	\$
BAND	EA.	\$
90 X 14 GA.	LIN. FT.	\$
90 END SECTION	EA.	\$
BAND	EA.	\$
96 X 14 GA. 96 END SECTION BAND	LIN. FT. EA. EA.	\$ \$
102 X 14 GA.	LIN. FT.	\$
102 END SECTION	EA.	\$
BAND	EA.	\$
108 X 12 GA. 108 END SECTION BAND	LIN. FT. EA. EA.	\$ \$
114 X 12 GA.	LIN. FT.	\$
114 END SECTION	EA.	\$
BAND	EA.	\$
2 2/3 X 1/2 CORRUGATIONS 17 X 13 16 GA. END BAND	LIN. FT. EA. EA.	\$ \$
21 X 15 16 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
24 X 18 16 GA. END BAND	LIN. FT. EA. EA.	\$ \$
28 X 20 16 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
35 X 24 16 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
42 X 29 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$

BID #2023-27 SIX MONTH BID CORRUGATED STEEL PIPE ITEM DESCRIPTION	BID UNIT	DELIVERED SPIRAL PRICE
49 X 33 14 GA.	LIN. FT.	. \$
END BAND	EA. EA.	\$
57 X 38 12 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
64 X 43 12 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
CORRUGATED STEEL PIPE ARCH 3 INCH X 1 INCH CORRUGATIONS		
66 X 51 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
73 X 55 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
81 X 59 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
87 X 63 14 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
95 X 67 12 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
103 X 71 12 GA.	LIN. FT.	\$
END	EA.	\$
BAND	EA.	\$
Vendor Name:	W-2/	
Vendor's Representative:		
Vendor's Phone #		
Email: Item 4		

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 5
NOTICE:

BID #2023-28 SIX MONTH BID ROAD BED STABILIZERS

Must meet all requirements of Oklahoma Department of Transportation,

"Standard Specifications for Highway Construction", 2009 Edition

BID #2023-28
SIX MONTH BID
ROAD BED STABILIZERS
ITEM DESCRIPTION

FLY ASH	PER TON, DELIVERED PLANT LOCATION SPREADER BAR / TON	\$
CEMENT KILN DUST	PER TON, DELIVERED PLANT LOCATION: SPREADER BAR / TON	\$\$
PORTLAND TYPE 1-2	PER TON, DELIVERED PLANT LOCATION: SPREADER BAR / TON	\$ \$
CALCIUM CHLORIDE	PER GAL. TRUCKLOAD, GALLON	\$
AMMONIUM LIGIN SULFATE	TRUCKLOAD, GAL	\$
MAGNESIUM CHLORIDE	PER GAL. TRUCKLOAD GALLON	\$
CEMENT SLURRY	PER DRY TON	\$
BRAND NAME:		
Vendor Name:	,	
Vendor's Representative:		
Vendor's Phone #		
Email:ltem 5		

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 6

BID #2023-29 SIX MONTH BID ROCK PRODUCTS

NOTICE:
Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition

BID #2023-29		
SIX MONTH BID	PLANT	PLANT
ROCK PRODUCTS	LOCATION:	LOCATION:
CRUSHED STONE:	UNIT	
YARD CLEAN UP ROCK	PER TON \$	\$
WASHED SCREENINGS	PER TON \$	\$
SCREENINGS	PER TON \$	\$
1/2 INCH DOWN	PER TON \$	\$ \$
AG LIME / INDUSTRIAL AGGREGATE	PER TON \$	\$
CLASS A ROCK:	_	
1 1/2 INCH (#57)	PER TON \$	\$
3/4 INCH (#67)	PER TON \$	\$
CRUSHER RUN:	_	
1 1/2 INCH	PER TON \$	\$
3 INCH	PER TON \$	\$
FILTERED BLANKET 4-5"	PER TON \$	\$
1-1/2 INCH SURGE ROCK	PER TON \$	\$
1-1/2 INCH FILTER STONE	PER TON \$	\$
SURGE ROCK	PER TON \$	\$
10 1/4 " RIP RAP QUARRY RUN	PER TON \$	\$ \$ \$
12", 18", 24" RIP RAP	PER TON \$	\$
GABION STONE	PER TON \$	
TBSC OR SABM (all sizes same price)	PER TON \$	\$
INSOLUABLE ROCK (all sizes same \$)	PER TON \$	\$ \$ \$
ROAD ROCK	PER TON \$	\$
SHOT ROCK	PER TON \$	\$
Vendor Name:		
Vendor's Representative:		
Vendor's Phone #		
Email:		
Item 6		

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 7

BID #2023-30 SIX MONTH BID

INTERLOCKING SHEETING AND DECKING

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID #2023-30 SIX MONTH BID		6 MONTH	6 MONTH
INTERLOCKING SHEETING AND DE	CKING	6 MONTH DELIVERED	6 MONTH PICKED UP
ITEM DESCRIPTION	BID UNIT	PRICE	PRICE
21.7 BLACK INTERLOCKING SHEETING			2002
12 GAUGE	SQ. FT.	\$	\$
10 GAUGE	SQ. FT.	\$	\$ \$ \$
8 GAUGE	SQ. FT.	\$.	\$
7 GAUGE	SQ. FT.	\$	\$
21.7 GALVANIZED INTERLOCKING SHEETING			
12 GAUGE	SQ. FT.	\$	\$
10 GAUGE	SQ. FT.	\$	\$
8 GAUGE	SQ. FT.	\$	\$ \$
7 GAUGE	SQ. F		\$
18" BLACK INTERLOCKING SHEETING			
12 GAUGE	SQ. FT.	\$	\$
10 GAUGE	SQ. FT.	\$	\$ \$ \$
8 GAUGE	SQ. FT.		\$
7 GAUGE	SQ. FT.	\$	\$
18" GALVINIZED INTERLOCKING SHEETING			
12 GAUGE	SQ. FT.	\$	\$
10 GAUGE	SQ. FT.	\$	\$
8 GAUGE	SQ. FT.	\$	\$
7 GAUGE	SQ. FT.	the state of the s	\$ \$ \$
22 GA PAINTED DECKING	SQ. FT.	\$	\$
11 GUAGE SHEETING	SQ. FT.	\$	\$
LOCATION OF THE COMPANY: _	N/L		
Vendor Name:			
Vendor's Representative:			
Vendor's Phone #			
Email:			

Item: 8 NOTICE: BID #2023-31 Must meet all requirements of Oklahoma Department of Transportation. SIX MONTH BID "Standard Specifications for Highway Construction", 2009 Edition **NEW/USED PILING PIPE** BID #2023-31 GO TO NEAREST CENT. SIX MONTH BID **NEW/USED PILING PIPE DELIVERED DELIVERED** ITEM DESCRIPTION UNIT PRICE **PRICE** NEW USED STEEL PIPE,1/2 INCH WALL OR THICKER 7 INCH LN. FT. 8 INCH LN. FT. 9 INCH \$ \$ LN. FT. 10 INCH \$ LN. FT. \$ 12 INCH \$ LN. FT. STEEL PIPE, .375 INCH WALL OR THICKER 7 INCH LN. FT. 8 INCH \$ \$ LN. FT. 9 INCH \$ \$ LN. FT. 10 INCH LN. FT. 12 INCH \$ LN. FT. STEEL PIPE, 1/4 INCH WALL OR THICKER 12 INCH LN. FT. 14 INCH \$ \$ LN. FT. 16 INCH LN. FT. \$ 18 INCH LN. FT. \$ 20 INCH LN. FT. \$ 22 INCH LN. FT. \$ 24 INCH \$ LN. FT. \$ 26 INCH LN. FT. \$ \$ 30 INCH LN. FT. \$ 36 INCH LN. FT. \$ 42 INCH LN. FT. LOCATION OF THE COMPANY: Vendor Name: Vendor's Representative:_____ Vendor's Phone # _____

Payne County, Oklahoma 6- Month Bid,

Email:_ Item 8

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 9
NOTICE:

BID #2023-32 SIX MONTH BID

PLATE & STRUCTURAL STEEL PRODUCTS

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

Standard Specifications for Highway	y Construction	on , 2009 Edition	
BID #2023-32 SIX MONTH BID PLATE & STRUCTURAL STEEL PI ITEM DESCRIPTION 3/16 INCH PLATE STEEL	RODUCTS BID UNIT PER LB.	NEW 6 MONTH DELIVERED PRICE	ROUND TO THE NEAREST CENT USED OR REJECTED 6 MONTH DELIVERED PRICE
3/10 INOTH EATE STEEL	FLITED.	Ψ.	\$
1/4 INCH PLATE STEEL	PER LB.	\$	\$
5/16 INCH PLATE STEEL	PER LB.	\$	\$
3/8 INCH PLATE STEEL	PER LB.	\$	\$
7/16 INCH PLATE STEEL	PER LB.	\$	\$
1/2 INCH PLATE STEEL	PER LB.	\$	\$
I-BEAMS	PER LB.	\$	\$
H-BEAMS	PER LB.	\$	\$
CHANNEL IRON	PER LB.	\$	\$
ANGLE IRON	PER LB.	\$	\$
REINFORCING STEEL			
#3 3/8 INCH	LN. FT.	\$	\$
#4 1/2 INCH	LN. FT.	\$	\$
#5 5/8 INCH	LN. FT.	\$	\$
#6 3/4 INCH	LN. FT.	\$	\$
#7 7/8 INCH	LN. FT.	\$	\$
#8 1 INCH	LN. FT.	\$	\$
LOCATION OF THE COMPANY: _ Vendor Name: Vendor's Representative: Vendor's Phone # Email: Item 9			

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 10

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition (STEEL TANK CARS)

BID #2023-33 SIX MONTH BID

SIX MONTH BID			
STEEL PIPE		DELIVERED	
ITEM DESCRIPTION	UNIT	PRICE	
3/8 INCH WALL THICKNESS			
3 1/2 FT. DIA.	LIN. FT.	\$	
4 FT. DIA.	LIN. FT.	\$	
4 1/2 FT. DIA.	LIN. FT.		
5 FT. DIA.	LIN. FT.	\$	
5 1/2 FT. DIA.	LIN. FT.	\$	
6 FT. DIA.	LIN. FT.	\$	
6 1/2 FT. DIA.	LIN. FT.	\$	
7 FT. DIA.	LIN. FT.	\$	
7 1/2 FT. DIA.	LIN. FT.	\$	
8 FT. DIA.	LIN. FT.	\$	
8 1/2 FT. DIA.	LIN. FT.	\$	
9 FT. DIA.	LIN. FT.	\$	
10 FT. DIA.	LIN. FT.	\$	
1/2 INCH WALL THICKNESS		*	
7 FT. DIA.	LIN. FT.	\$	
7 1/2 FT. DIA.	LIN. FT.	\$	
8 FT. DIA.	LIN. FT.		
		\$	
8 1/2 FT. DIA.	LIN. FT.	\$	
9 FT. DIA.	LIN. FT.	\$	
9 1/2 FT. DIA.	LIN. FT.	\$	
10 FT. DIA.	LIN. FT.	\$	
10 1/2 FT. DIA.	LIN. FT.	\$	
3/4 INCH OR BETTER			
WALL THICKNESS			
7 FT. DIA.	LIN. FT.	\$	
7 1/2 FT. DIA.	LIN, FT.	\$	
8 FT. DIA.	LIN. FT.	\$	
8 1/2 FT. DIA.	LIN. FT.	\$	
9 FT. DIA.	LIN. FT.	¢	
	LIN. FT.		
9 1/2 FT. DIA.		\$	
10 FT. DIA.	LIN. FT.	\$	
10 1/2 FT. DIA.	LIN. FT.	\$	
COMPANY LOCATION:			
		-	
Vendor Name:			
Vendor's Representative:			
Vendor's Phone #			
Email:			
Item 10			

BID #2023-33 SIX MONTH BID STEEL PIPE

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

Item: 11

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

"Standard Specifications for Highway Construction", 2009 Edition

BID #2023-34 SIX MONTH BID NEW AND USED GUARD RAILS, BRIDGE CLIPS ITEM DESCRIPTION **BID UNIT GUARD RAIL** LIN. FT. _____ **NEW GUARDRAIL** USED GUARDRAIL **END WINGS NEW END WINGS EACH** USED END WINGS EACH _____ **GUARD RAIL POSTS** EACH _____ NEW **USED** EACH COMPANY LOCATION: Vendor Name: Vendor's Representative:_____ Vendor's Phone # _____ Email: Item 11

BID #2023-34 SIX MONTH BID NEW AND USED GUARD RAILS, BRIDGE CLIPS

Payne County, Oklahoma 6- Month Bid, Effective Date: JANUARY 1, 2023 THRU JUNE 30 Item: 12 NOTICE: Must meet all requirements of Oklahoma "Standard Specifications for Highway Construction" BID #2023-35	Department of	of Transp	portation,		BID #2023-35 SIX MONTH BID PETROLEUM PRODUCTS
SIX MONTH BID PETROLEUM PRODUCTS DELIVERY TO: DISTRICT #1, DISTRICT #3 OR SHERIFF DEPT. ITEM DESCRIPTION	MEET SPECS X=NO ✓=YES	UNIT	6 MONTH PRICE	MEET SPECS X=NO ✓=YES	6 MONTH ALT BID
MOTOR OIL SPECIFICATIONS ENGINE OIL (APICI-4/ CI-4 PLUS and API CH-4)(1)				
HD 15-40 WT DET. MOTOR OIL 1 CASE OF (4) 1 GALLON CONTAINERS BULK 3 GAL. 5 GAL. 55 GAL. BRAND		EACH EACH EACH EACH	\$ \$		\$ \$ \$ \$
HYDRAULIC OIL SPECIFICATIONS Cat ECF-1-a, Cat ECF-2, Cat ECF-3, Cat TO-4, or Cat TO-4M performance requirements, and that minimum zinc additive level of 0.09 percent (90) Commercial biodegradable hydraulic oil must n Cat BF-2 specification.	have a Oppm).				
UNIV. HYDRAULIC OIL 5 GAL. 55 GAL. BULK BRAND		EACH EACH			\$
10 WT HYDRAULIC OIL TL-4 5 GAL. 55 GAL. BULK BRAND		EACH EACH EACH	\$		\$ \$ \$
30 WT HYDRAULIC OIL TL-4 5 GAL. 55 GAL. BULK BRAND		EACH EACH EACH	\$		\$ \$ \$
30 WT TORQUE FLUID 5 GAL. 55 GAL. BULK BRAND		EACH EACH EACH	\$		\$ \$ \$
ANTIFREEZE HD GREEN 6 GAL. 55 GAL. BULK HD RED 6 GAL. 55 GAL. BULK **GREASE SPECIFICATIONS**		EACH EACH EACH EACH EACH EACH	\$ \$ \$ \$		FULL STRENGTH \$ \$ \$ \$ \$ \$
SILAGE OF EGILIDATIONS					

NLGI Consistency Number 2
Worked Penetration, ASTM D217 265-295
Dropping Point, ASTM D2265, °F (°C) 290 (143)
Water Washout, ASTM D1264, % loss @ 100°F 0.9
Rust Prevention, ASTM D1743, rating Pass

Oil Separation, ASTM D1743, % loss <1 Timken OK Load, ASTM D2509, lb. 55 Four-Ball Wear, ASTM D2266, mm 0.6 Four-Ball EP Weld Point, ASTM D2596, kgf 250 Four-Ball Last Non-Seizure Load, ASTM D2596, kgf 65 Approximate Application Temperature Range, °F (°C) 0 to 250 (-18 to 121) Base Oil Viscosity: 40°C, cSt 1080 **HI TEMP GREASE SPECIFICATIONS** **NLGI Consistency Number 12** NLGI Certified, ASTM D4950 GC-LB Worked Penetration, ASTM D217 310-340 Dropping Point, ASTM D2265, °F (°C) 500 (260) 550 (288) Water Washout, ASTM D1264, % loss @ 175°F 9.4 2.5 Rust Prevention, ASTM D1743, rating Pass Copper Corrosion, ASTM D4048, rating 1b 1b Oil Separation, ASTM D1742, % loss 2 1 Timken OK Load, ASTM D2509, lb. 70 80 Four-Ball Wear, ASTM D2266, mm 0.45 0.45 Four-Ball EP Weld, ASTM D2596, kgf 315 315 Four-Ball Load Wear Index, ASTM D2596, kgf 50 Approximate Temperature Range, °F (°C) -10 to 325 (-23 to 163) Base Oil Viscosity: 40°C, cSt 630 630 **GREASE CARTRIDGES NL 612 LITHIUM BASED GEN PURPOSE** HI TEMP **30 CNT** EACH 60 CNT. **EACH BRAND GROUP IV SYNTHETICS** 75W-90 GEAR LUBE 5 GAL. EACH \$ 16 GAL. EACH \$ 55 GAL. EACH \$ **BRAND** 80W-90 GEAR LUBE 1 GAL. EACH \$ 5 GAL. EACH \$ 55 GAL. EACH \$ **BRAND** TRACTOR/HYDR TRANS OIL SAE 5W-30 EACH \$ 5 GAL. 30 GAL. EACH \$ 55 GAL. EACH \$ **BRAND** SYNTHETIC MULTI-PURPOSE GREASE EACH \$ 10 14 Oz. Cart 40 14 Oz Cart EACH \$ 12 24 Oz. Bottles **EACH BRAND** ***VENDORS PLEASE PROVIDE SPECS FOR ANY PRODUCTS LISTED IN THIS BID*** Vendor Name: Vendor's Representative: Vendor's Phone # Email:

Item 12

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

ITEM: 13 NOTICE:

Item 13

BID # 2023-36

AASH TO 330 HWY SPECIFICATION CORRUGATED POLYPROPYLENE PIPE

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID # 2023-36

SIX MONTH BID, POLYETHYLE LYPROPYLENE PIPE

AASHTO 330 HIGHWAY SPECIFICATION

CORRUGATED POLYPROPYLENE PIPE

20' & 13' LENGTHS AVAILABLE--ALL PIPE WATERTIGHT

ITEM DESCRIPTION	PRICE	\$ / LF
12" CORRUGATED POLYPROPYLENE PIPE	\$	LF
12" COUPLER	\$ \$	EACH
15" CORRUGATED POLYPROPYLENE PIPE	¢	LF
15" COUPLER	<u>\$</u> \$	EACH
		2, (0)
18" CORRUGATED POLYPROPYLENE PIPE	<u>\$</u>	LF
18" COUPLER	\$	EACH
21" CORRUGATED POLYPROPYLENE PIPE	¢	LF
21" COUPLER	\$ \$	— EACH
	-	
24" CORRUGATED POLYPROPYLENE PIPE	\$	LF
24" COUPLER	\$	EACH
30" CORRUGATED POLYPROPYLENE PIPE	\$	LF
30" COUPLER .	\$ \$	EACH
36" CORRUGATED POLYPROPYLENE PIPE	\$ \$	LF
36" COUPLER	\$	EACH
42" CORRUGATED POLYPROPYLENE PIPE	\$	LF\
42" COUPLER	\$	EACH
48" CORRUGATED POLYPROPYLENE PIPE	\$	LF
48" COUPLER	\$	EACH
60" CORRUGATED POLYPROPYLENE PIPE	\$	LF
60" COUPLER	\$	EACH
DUAL WALL POLYPROPYLENE PIPE		
ALL PIPE IS AASHTO (HWY) RATED UNDER SPEC M330 FOR USE APPLICATIONS CAPABLE OF H-25 TRAFFIC LOADS	E UNDER ROADWAY	
PER MANUFACTURERS RECOMMENDED INSTALLATION PROCE	DURES	
TERMINOLING FOREIGN REGOMMENDED MOTREEM TOTAL REGOL	.501120	
LOCATION OF THE COMPANY:		
Vandar Nama		
Vendor Name:		
Vendor's Representative:		
Vendor's Phone #		
Email:		

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

ITEM: 14

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID # 2023-37

SIX MONTH BID, HERBICIDES

ITEM DESCRIPTION	PRICE
MSMA PLUS HC OR EQUAL	
FOB	_
GALLON 2.5 GALLON	\$
	\$
30 GALLON DRUM 275 GALLON TOTE	\$
GALLON TOTE	\$
	Ψ
DELIVERED	
GALLON	\$
2.5 GALLON	\$
30 GALLON TOTE	\$
275 GALLON TOTE GALLON TOTE	\$ \$ \$
GALLON TOTE	Φ
PATRIOT SELECTIVE HERBICIDE OR EC	QUAL
FOB GALLON	¢
2.5 GALLON	\$
30 GALLON DRUM	\$
275 GALLON TOTE	\$
GALLON TOTE	\$ \$
DELIVERED	
GALLON	\$
2.5 GALLON	\$
30 GALLON DRUM 275 GALLON TOTE	\$
GALLON TOTE	\$ \$ \$
GALLON TOTE	Ψ
PREFER 90 NONIONIC SURFACTANT O	R EQUAL
FOB GALLON	\$
2.5 GALLON	Market Street,
30 GALLON DRUM	\$
275 GALLON TOTE	\$
GALLON TOTE	\$ \$ \$
DELIVERED	
GALLON	\$
2.5 GALLON	\$ \$ \$ \$
30 GALLON DRUM 275 GALLON TOTE	\$
GALLON TOTE GALLON TOTE	\$
GALLON TOTE	Ψ

BID # 2023-37 SIX MONTH BID HERBICIDES

GRAZONNEXT HL OR EQUAL FOB	
GALLON	\$
2.5 GALLON	\$
30 GALLON DRUM	\$
275 GALLON TOTE	\$
GALLON TOTE	\$
DELIVERED	
GALLON	\$
2.5 GALLON	\$
30 GALLON DRUM	\$
275 GALLON TOTE	\$
GALLON TOTE	\$
ALL VENDORS SUBMITTING BIDS FOR AN " LABELS AND MSDS SHEETS FOR THE PRO SHOULD BE INCLUDED IN THE BID PACKET **HERBICIDE SHALL BE REGISTERED AND	
LOCATION OF THE COMPANY:	
Vendor Name:	
Vendor's Representative:	
Vendor's Phone #	_
Email:	

Item 14

Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023

ITEM: 15

BID # 2023-38 SIX MONTH BIDS

Soil Classification

Sandy Loam (USDA) 24+PSF

EROSION PREVENTION BLOCK MATS

Limiting Value

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition

BID # 2023-38 SIX MONTH BID

EROSION PREVENTION BLOCK MATS

SPECIFICATIONS:

* Performance:

* Furnish blocks manufactured with concrete conforming to the cement requirements of ASTM C150 and to the aggregate requirements of ASTM C33. Meet a minimum compressive strength of 5,000 psi for 28 days. Furnish blocks that have a minimum weight of 3 lb per block. Blocks shall have a course anti-slip surface not truncated domes and placed no further than 2 inches apart.

Tested Value Bed Slope

- * Blocks: Shall be 5000 PSI, wet-cast Portland Cement
- * Block Size: 6.5" x 6.5" x 2.25"
- * Interlocking Biaxial Geogrid: Durability with 2,055 lb/ft biaxial strength

ASTM 6460 | Shear Stress | 30%

- * Underlayment Materials: Shall include three (3) backing options:
- 1. Standard includes Curlex II backing
- 2. Plus includes both Curlex and Tecuclex TRM-V
- 3. Filter Fabric includes non-woven filter fabric backing Test

AS	STM 6460 Velocity	30%	Sandy Loam (USDA)	19+ft/sec
ITEM DESCRIPTION		PRICE		
DELIVERED TO PAYNE	COUNTY		ì	
PRICE PER SQUARE YA		\$		
FOB				
PRICE PER SQUARE YA	יאט	\$		
ADDITIONAL OPTIONS:	v			
"U" REBAR ANCHORS:		\$	/anchor	
RECYCLEX		\$	/roll	
NOTICE REQUIRED BY BIDDING VENDOR FOR DELIVERY: DAYS				
FOR FOB: PICKUP ADDRESS				
LOCATION OF THE COMPANY:				
Vendor Name:				
Vendor's Representative:				
Vendor's Phone #				
Email:				
Item 15				

Payne County, Oklahoma 6 Month Bid, Effective Date: JANUARY 1, 2023 THRU JUNE 30, 2023 Item: 16 NOTICE: Must meet all requirements of Oklahoma Department of Transportation, "Standard Specifications for Highway Construction", 2009 Edition		BID #2023-39 SIX MONTH BID TIRES
BID #2023-39 SIX MONTH BID TIRES ITEM DESCRIPTION TRUCK TIRES/RADIAL TIRES CHIP & CUT RESISTANT	6 MONTH BEST GRADE PRICE	ALTERNATE BID
1100 R24.5 DRIVE TIRE BRAND TIRE # TREAD DESIGN	\$	\$
1100 R24.5 STEER TIRE BRAND TIRE # TREAD DESIGN	\$	\$
1100 R24.5 TRAILER TIRE BRAND TIRE # TREAD DESIGN	\$	\$
RADIAL MOTORGRADER TIRES 1400 X 24 12 PLY MG TL BRAND TIRE # TREAD DESIGN	\$	\$
Vendor's Representative:		
Vendor's Phone # Email: Item 16		