

PAYNE COUNTY
BOARD OF COUNTY COMMISSIONERS
STILLWATER, OKLAHOMA

"NOTICE TO BIDDERS"

Notice is hereby given that the Payne County Board of Commissioners State of Oklahoma, will receive sealed bids for the following:

**6 MONTH BIDS
BID # 2021-1 THRU BID # 2021-16
ROAD/BRIDGE CONSTRUCTION MATERIALS**

**THIS BID IS FOR THE 6-MONTH BIDDING PERIOD OF JULY 1, 2020 THRU
DECEMBER 31, 2020, FOR ROAD/BRIDGE CONSTRUCTION MATERIALS FOR
PAYNE COUNTY, STILLWATER, OKLAHOMA**

Bid documents may be picked up at the Payne County Clerk's Office at 315 W. 6th, Suite 202, Payne County Administration Building, Stillwater, Oklahoma, or call 405-747-8348 to request that they be mailed.

Bids should be mailed or hand delivered to the Payne County Clerk, 315 W. 6th, Suite 202, Stillwater, OK. 74074. Bids must be filed with the Payne County Clerk on or before 9:30 A.M. on MAY 18, 2020. Bids must be sealed and clearly marked:

**BID # 2021-1 THRU # 2021-16
OPENING: MAY 18, 2020 @ 9:30 A.M.
6 MONTH BIDS
ROAD/BRIDGE CONSTRUCTION MATERIALS**

The Board of County Commissioners, or their appointed representative, will evaluate all bids, and reserves the right to reject any, or all the bids, and reserves the right to waive any of the listed specifications. The Board of County Commissioners reserves the right to accept the bid determined to best serve the needs of Payne County.

Payne County hereby notifies all bidders that it will affirmatively ensure that, in any contract, entered into pursuant to this advertisement, minority business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex or national origin in consideration for an award.

Kyla McCombs
Purchasing Agent



Office of
GLENNA CRAIG
Payne County Clerk

6 Month Bids

Road / Bridge Construction Material

Bid # 2021-1 thru # 2021-16

July 1, 2020 thru December 31, 2020

Vendor and or company representative,

Included in this correspondence you will find information, in regards to, bid specifications, packet information, and instructions per the Payne County Commissioners who are requesting your company submit a bid for the enclosed project or materials.

The enclosed packet has been developed and approved by the Payne County Commissioners, the content of the packet is per their instruction. The Payne County Clerk's office is the facilitator of the bid process and is required to receive and hold all sealed bids per Oklahoma State Statutes to present to the Board of Commissioners in an open session.

If you have any questions, in regards, to the pack content, specifications, and instructions please contact the following:

Payne County Commissioners

District # 1 - Zach Cavett - 918-225-1330

District # 3 – Rocky Blasier - 405-372-7758

We appreciate your bid and time, in regards, to the process. We look forward to hearing from you.

Kind Regards,


Glenna Craig, Payne County Clerk
State of Oklahoma

All bids can now be mailed, or emailed to vendors, or can be downloaded for completion from our website:
www.countyclerk.paynecounty.org.

CONTACT KYLA MCCOMBS-PAYNE COUNTY PURCHASING AGENT FOR EMAIL OR MAILED BIDS
AT: kmccombs@paynecountyclerk.org

ALL BIDS MUST BE SUBMITTED BACK TO THE PAYNE COUNTY CLERKS OFFICE BY MAIL, OR IN PERSON
SEALED BEFORE 9:30 THE DATE OF BID OPENING.



Office of
GLENNA CRAIG
Payne County Clerk

INVITATION TO BID

The Board of County Commissioners, Payne County, Oklahoma is seeking sealed bids for:
ROAD/BRIDGE CONSTRUCTION MATERIALS

This bid is for the 6-month bidding period of July 1, 2020 thru December 31, 2020 for Road and Bridge Construction Material for Payne County.

BID # 2021-1 THRU BID # 2021-16

Date Published: APRIL 30, 2020

Bidding Period Closing Date and Hour: MAY 18, 2020 @ 9:30 A.M.

Sealed Bid Opening Date and Hour: MAY 18, 2020 @ 9:30 A.M.

Location: Commissioners Hearing Room 200, Payne County Administration Building.

Address: 315 W. 6th, Ste. 202, Stillwater, OK. 74074

Requesting Authority: PAYNE COUNTY COMMISSIONERS.

Zach Cavett - District # 1 - 918-225-1330

Rocky Blasier - District # 3 - 405-372-7758

Bid submissions are to be addressed to:

ATTN: Payne County Purchasing Agent
Payne County Clerk's Office
315 W. 6th, Suite 202
Stillwater, OK 74074


Please review the attached Terms and Conditions pertaining to the submission of this bid.

Please pay particular attention to item (1) of the Terms and Conditions. This item specifies how the bid envelopes are to be identified to prevent inadvertent or premature opening of sealed bids. Your compliance will ensure consideration of your bid by the awarding body. Late bids will not be considered.

The Non-Collusions Affidavit bearing original signature must be notarized and returned with the bid submission.

This packet contains:

1. Invitation to Bid
2. Terms and Conditions for Bidding
3. Affidavit for Filing with Competitive Bid
4. Specifications/Bid forms for desired item(s) (may be more than one page of information).


Glenna Craig, Payne County Clerk
State of Oklahoma
315 W. 6th, Suite 202
Stillwater, OK 74074



Office of
GLENN CRAIG
Payne County Clerk

Terms and Conditions for Submitting Bids

1. Bids **MUST** be received in a sealed envelope by the date and time specified in the Invitation to Bid. Each envelope **MUST** be legibly marked on the outside with the following information: The word "BID", the Bid Number and the closing date. This information must be readily observable. Bid packets should be **returned to**: Payne County Purchasing Agent, Payne County Clerk's Office, 315 W. 6th, Suite 202, Stillwater, OK 74074; or brought to the Payne County Clerk's Office at the same address.
2. Sealed Bids will be opened by the authority requesting the bid, at the location and time specified in the published advertisement and on the "Invitation to Bid" form. **Late Bids will not be considered.**
3. Purchases by Payne County, Oklahoma, are not subject to State or Federal taxes.
4. Firm prices will be F.O.B. destination.
5. Unit prices will be guaranteed correct by the bidder
6. The Bid is submitted as a legal offer and any Bid when accepted by the County, constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods, to furnish a notarized sworn, Affidavit for Filing with Competitive Bid (**Affidavit is included in this bid packet**).
8. This particular bid (**commonly referred to as "the six-month bid"**), establishes base pricing by unit of measure, valid for a 6-month period (**JULY 1 through DECEMBER 31**) on a variety of materials and services used in the construction and maintenance of the Payne County road system.
9. Vendors may cite extraordinary circumstances adversely affecting the base price during the defined 6-month period in their bid submission. Vendor must define a specific condition that will trigger a price increase (example: fuel exceeds \$3.599 per gallon). Vendor must also identify the amount of the increase by percentage or by dollar amount for each submitted bid item when specified condition is met. Vendors must verbally notify the Payne County Purchasing Agent of the intended base price increase caused by the specified condition, before the new base pricing becomes effective. Written notification of the intended price change is required not later than the conclusion of the business week following the verbal notification.
10. The Board of County Commissioners, in conjunction with the Payne County Purchasing Agent will analyze all qualifying bid submissions. The lowest and or best bid will be determined based on the following considerations:
 - a. Price per unit of measure.
 - b. Distance and delivery time to the desired destination.
 - c. Product source (manufacturer, retailer, jobber).
 - d. Product availability.
 - e. Product quality.
 - f. Vendor's reliability.
 - g. Specific conditions identified by the Vendor triggering a base price increase.
 - h. Any additional consideration as may be deemed appropriate by the Board of County Commissioners.

Continued on the next page



Office of
GLENNA CRAIG
Payne County Clerk

11. The Payne County Board of Commissioners reserves the right to accept or reject any, and or all bids, and to make the bid award in the best interest of Payne County whether it be lowest bid or best bid.
12. Vendor does not need to return the entire bid packet with submission. The only things required to be submitted, are the Affidavit and the sheets for the items being bid.
13. **NOTE: ALL BIDS MUST BE SUBMITTED ON OUR FORMS. BIDS SUBMITTED ON VENDOR LETTERHEAD OR OTHER FORMS WILL NOT BE ACCEPTED.**



Office of
GLENN CRAIG
Payne County Clerk

S.A.&I. 425/1-4040 (2000)

AFFIDAVIT FOR FILING WITH COMPETITIVE BID

STATE OF OKLAHOMA)

)SS

COUNTY OF _____)

_____, of lawful age, being first duly sworn, on oath says, that (s)he is the agent authorized by the bidder to submit the attached bid. Affiant further states that the bidder has not been a party to any collusion among bidders in restraint of freedom of competition by agreement to bid at a fixed price or to refrain from bidding; or with any county official or employee as to quantity, quality or price in the prospective contract, or any other terms of said prospective contract, or in any discussions between bidders and any county official concerning exchange of money or other thing of value for special consideration in the letting of a contract.

Firm: _____

Signed by: _____
(manual signature of undersigned)

Title: _____

Address: _____

City: _____ State: _____

Zip: _____ Tax ID: _____

Telephone (____) _____ Fax (____) _____

Subscribed and sworn to before me this _____ day of _____, 20_____.

Notary Public (or Clerk or Judge)

My commission expires: _____

Note:

Each competitive bid submitted to a county, school district or municipality must be accompanied with the above Affidavit as required by 61 Okl.St. Ann. § 138

6 MONTH BID LIST - ROAD/BRIDGE CONSTRUCTION MATERIALS
JULY 1, 2020 THRU DECEMBER 31, 2020
PAYNE COUNTY, STILLWATER, OKLAHOMA
FY – 2020-2021

SIX MONTH BID LIST	BID NUMBER
1. ASPHALT MATERIALS	2021-1
2. ASPHALT OILS	2021-2
3. BRIDGE PLANKS	2021-3
4. COLD PATCH	2021-4
5. CONCRETE PRODUCTS	2021-5
6. CORRUGATED STEEL PIPE	2021-6
7. PLASTIC CULVERT PIPE, CORRUGATED	2021-7
8. ROAD BED STABILIZERS	2021-8
9. ROCK PRODUCTS	2021-9
10. INTERLOCKING SHEETING & DECKING	2021-10
11. NEW / USED PILING PIPE	2021-11
12. PLATE & STRUCTURAL STEEL PRODUCTS	2021-12
13. STEEL PIPE	2021-13
14. NEW & USED GUARD RAILS, BRIDGE CLIPS	2021-14
15. PETROLEUM PRODUCTS	2021-15
16. CORRUGATED POLYPROPYLENE PIPE	2021-16

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020

BID #2021-1
SIX MONTH BID
ASPHALT MATERIALS

Item: 1

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition

BID #2021-1

SIX MONTH BID

ASPHALT MATERIALS

ITEM DESCRIPTION	UNIT	PICKED UP PRICE
<hr/>		
PRODUCT FOB PLANT OR PIT		
HMHL	TON	\$ _____
FILL SAND	TON	\$ _____
CLASS "A" SAND (C-33)	TON	\$ _____
CONCRETE SAND	TON	\$ _____
PLANT CLEANUP ASPHALT	TON	\$ _____
ROTO MILLED ASPHALT	TON	\$ _____
FLY ASH AGGREGATE	TON	\$ _____
1 1/2" OR SMALLER "SCREENED" ASPHALT	TON	\$ _____

LOCATION OF PLANT: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 1

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020

BID #2021-2
SIX MONTH BID
ASPHALT OILS

Item: 2

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition

BID #2021-2

SIX MONTH BID

ASPHALT OILS

ITEM DESCRIPTION UNIT TANK LOAD DELIVERED PRICE 500 GAL OR LESS PICKED UP PRICE

MC250 PER GAL. \$ _____ \$ _____

MC800 PER GAL. \$ _____ \$ _____

SS1 PER GAL. \$ _____ \$ _____

CRS 2 PER GAL. \$ _____ \$ _____

PUMP OFF PER LOAD \$ _____

SPREADING PER GAL. \$ _____

DEMURRAGE PER HOUR: \$ _____

FULL LOAD: GALLONS: _____

LOCATION OF THE PLANT: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 2

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020
Item: 3

BID #2021-3
SIX MONTH BID
BRIDGE PLANKS

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition

BID #2021-3
SIX MONTH BID
BRIDGE PLANKS

Must meet all requirements of Oklahoma Department of Transportation "Standard Highway
Construction" 2009 Edition

3 X 12 Creosote Treated Pine or Fir Grade #2 or better with a retention of 8lbs with
options of 16, 18, 20, 22 ft lengths.

Vendor
Quote: (linear feet)
Product Delivered to Payne County

Length

16 feet	\$ _____
18 feet	\$ _____
20 feet	\$ _____
22 feet	\$ _____


Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____
Item 3

Payne County, Oklahoma 6- month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020

Item: 4


**BID #2021-4
 SIX MONTH BID
 COLD PATCH**

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
 "Standard Specifications for Highway Construction", 2009 Edition

**BID # 2021-4
 SIX MONTH BID
 COLD PATCH**

SPECIFICATONS AND GENERAL INFORMATION:

SEASONAL GRADE:

To be applied when (approximate)
 temperature is:

THREE (3)

35-65 degrees F
 (2-12) degrees C)

Asphalt Property

Kinematic Viscosity @ 140 degrees F
 Flash Point Cleveland Open cup
 Percentage of water
 Distillation to 680 degrees F (360 degrees C)

Test

ASTM D 2170 700-1000cS
 ASTM D 1310 200 degrees F C1 min
 ASTM D 95 Less than 0.2%
 ASTM D 402 See Values Below

Volume by Total
 Distillate (Min-Max)

Volume by Original
 Sample (Min-Max)

Distillation Temperature			
to 437 degrees F (225 degrees	0	0	0
to 500 degrees F (260 degrees	0	0	0
to 600 degrees F (316 degrees	20	2	12
Residue from distillation to 680 degrees F (360 degrees C) % by difference		79	89

AGGREGATE

Sieve Analysis

ASTM C 135

See Values Below

Sieve Size	Percent Passing	Percent Passing
1/2 "	100	100
3/8"	100	90-100
#4	85-100	20-55
#8	10-40	5-30
#16	0-10	0-10
#50	0-5	0-5
Soundness Loss (Sodium, 5 cycles)	ASTM C 88	12.0% max
Los Angeles Abrasion Loss	ASTM C 131	40.0% max
Specific Gravity	ASTM C 127	2.55-2.7 %
Absorption	ASTM C 128	1.0%-2.5%

Minus 200 Sieve Wash loss ASTM C 117 2.0% max

TESTS ON RESIDUE FROM DISTILLATION FOR GRADES ABOVE:

Asphalt Property	Test	Values
Absolute Viscosity @ 140 degrees F	ASTM D 2171	275-150 points
Penetration, Modified with core	ASTM D 5	180 min
Ducility, 39 degrees F 0.4/minute	ASTM D 113	100 min
Solubility in Trichloroethylene	ASTM D 2042	99% min

VENDOR WILL PROVIDE CERTIFIED MIX DESIGN WITH BID.

Payne County will bid Cold Patch Materials for patching holes in existing roadways. The material shall be bid per ton either delivered to District #1 and District #3 Warehouse or picked up at the plant.

OPTION #1

Per ton to be picked up at the plant \$ _____
35lb bags, to be picked up at the plant \$ _____
50 lb bags to be picked up at the plant \$ _____

OPTION #2

District #1 (in Cushing) per ton delivered \$ _____
State minimum order of tons: _____
35lb bags, delivered, per bag \$ _____
50 lb bags, delivered, per bag \$ _____

state minimum order of bags: _____
state minimum order of bags: _____

District #3 (in Stillwater) per ton delivered \$ _____
State minimum order of tons: _____
35lb bags, delivered, per bag \$ _____
50 lb bags, delivered, per bag \$ _____

state minimum order of bags: _____
state minimum order of bags: _____

Brand name of Material: _____
State Warrant on Material: _____
State Location of Plant: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 4

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020

BID # 2021-5
SIX MONTH BID
CONCRETE PRODUCTS

Item: 5

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition

BID #2021-5
SIX MONTH BID
CONCRETE PRODUCTS

PLANT
LOCATION:

RECYCLED CONCRETE:

CONCRETE SCREENINGS	PER TON	\$
1 1/2 " CRUSHED CONCRETE	PER TON	\$
3" CRUSHED CONCRETE	PER TON	\$
3-5" OVERSIZE CONCRETE	PER TON	\$

CEMENT PRODUCTS:

TYPE 1 PORTLAND CEMENT		
94 POUND BAGS NET	PER BAG	\$
BULK	PER TON	\$

CONCRETE MIX PRODUCTS:

CEMENT SLURRY	PER DRY TON	\$
3500 MIX WITH AIR	SQ. YD.	\$
CLASS A WITH AIR	SQ. YD.	\$
CLASS AA WITH AIR	SQ. YD.	\$
COOLANT IN CONCRETE	SQ. YD.	\$
FLOWABLE FILL	SQ. YD.	\$
FREE MILEAGE MINIMUM	MILES	25 MILES
COST AFTER FREE MILEAGE	CU/YD-MI	\$

PRICES INDICATED PER SQUARE YARD WILL NOT INCLUDE ANY:
FUEL SURCHARGES, ENVIROMENTAL FEES AND DELIVERY FEES
AND NO MINIMUM ORDER CHARGE

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 5

Item: 6

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
 "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-6

SIX MONTH BID

CORRUGATED STEEL PIPE

ITEM DESCRIPTION

**BID
UNIT**

**DELIVERED
SPIRAL
PRICE**

2-2/3 X 1/2 GA PIPE

15 X 16 GA.	LIN. FT.	\$ _____
15 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

18 X 16 GA.	LIN. FT.	\$ _____
18 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

24 X 16 GA.	LIN. FT.	\$ _____
24 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

30 X 16 GA.	LIN. FT.	\$ _____
30 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

36 X 16 GA.	LIN. FT.	\$ _____
36 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

42 X 16 GA.	LIN. FT.	\$ _____
42 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

48 X 14 GA.	LIN. FT.	\$ _____
48 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

54 X 14 GA.	LIN. FT.	\$ _____
54 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

**3 INCH X 1 INCH
CORRUGATIONS**

60 X 16 GA.	LIN. FT.	\$ _____
60 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

66 X 16 GA.	LIN. FT.	\$ _____
66 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

72 X 16 GA.	LIN. FT.	\$ _____
72 END SECTION	EA.	\$ _____
BAND	EA.	\$ _____

78 X 16 GA.	LIN. FT.	\$ _____
-------------	----------	----------

BID #2021-6

SIX MONTH BID

CORRUGATED STEEL PIPE

ITEM DESCRIPTION

BID
UNIT

DELIVERED
SPIRAL
PRICE

78 END SECTION EA. \$
BAND EA. \$

84 X 14 GA. LIN. FT. \$
84 END SECTION EA. \$
BAND EA. \$

90 X 14 GA. LIN. FT. \$
90 END SECTION EA. \$
BAND EA. \$

96 X 14 GA. LIN. FT. \$
96 END SECTION EA. \$
BAND EA. \$

102 X 14 GA. LIN. FT. \$
102 END SECTION EA. \$
BAND EA. \$

108 X 12 GA. LIN. FT. \$
108 END SECTION EA. \$
BAND EA. \$

114 X 12 GA. LIN. FT. \$
114 END SECTION EA. \$
BAND EA. \$

2 2/3 X 1/2 CORRUGATIONS

17 X 13 16 GA. LIN. FT. \$
END EA. \$
BAND EA. \$

21 X 15 16 GA. LIN. FT. \$
END EA. \$
BAND EA. \$

24 X 18 16 GA. LIN. FT. \$
END EA. \$
BAND EA. \$

28 X 20 16 GA. LIN. FT. \$
END EA. \$
BAND EA. \$

35 X 24 16 GA. LIN. FT. \$
END EA. \$
BAND EA. \$

42 X 29 14 GA. LIN. FT. \$
END EA. \$
BAND EA. \$

49 X 33 14 GA. LIN. FT. \$
END EA. \$

BID #2021-6

SIX MONTH BID

CORRUGATED STEEL PIPE

ITEM DESCRIPTION

**BID
UNIT**

**DELIVERED
SPIRAL
PRICE**

BAND EA. \$ _____

57 X 38 12 GA. LIN. FT. \$ _____

END EA. \$ _____

BAND EA. \$ _____

64 X 43 12 GA. LIN. FT. \$ _____

END EA. \$ _____

BAND EA. \$ _____

CORRUGATED STEEL PIPE ARCH

3 INCH X 1 INCH CORRUGATIONS

66 X 51 14 GA. LIN. FT. \$ _____

END EA. \$ _____

BAND EA. \$ _____

73 X 55 14 GA. LIN. FT. \$ _____

END EA. \$ _____

BAND EA. \$ _____

81 X 59 14 GA. LIN. FT. \$ _____

END EA. \$ _____

BAND EA. \$ _____

87 X 63 14 GA. LIN. FT. \$ _____

END EA. \$ _____

BAND EA. \$ _____

95 X 67 12 GA. LIN. FT. \$ _____

END EA. \$ _____

BAND EA. \$ _____

103 X 71 12 GA. LIN. FT. \$ _____

END EA. \$ _____

BAND EA. \$ _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 6

Payne County, Oklahoma 6 Month Bid,
Effective Date: JULY 1, 2019 THRU DECEMBER 31, 2019
 Item: 7

BID #2021-7
 SIX MONTH BID, POLYETHYLENE
 PLASTIC CULVERT PIPE, CORRUGATED

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
 "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-7
 SIX MONTH BID, POLYETHYLENE
 PLASTIC CULVERT PIPE, CORRUGATED

ITEM DESCRIPTION	UNIT	PRICE
8" DIAMETER, 20 FT LONG	LN/FT.	\$
8" DIAMETER, 24 FT LONG	LN/FT.	\$
8" CONNECTING BAND	EACH	\$
10" DIAMETER, 20 FT LONG	LN/FT.	\$
10" DIAMETER, 24 FT LONG	LN/FT.	\$
10" CONNECTING BAND	EACH	\$
12" DIAMETER, 20 FT LONG	LN/FT.	\$
12" DIAMETER, 24 FT LONG	LN/FT.	\$
12" CONNECTING BAND	EACH	\$
15" DIAMETER, 20 FT LONG	LN/FT.	\$
15" DIAMETER, 24 FT LONG	LN/FT.	\$
15" CONNECTING BAND	EACH	\$
18" DIAMETER, 20 FT LONG	LN/FT.	\$
18" DIAMETER, 24 FT LONG	LN/FT.	\$
18" CONNECTING BAND	EACH	\$
24" DIAMETER TER, 20 FT LONG	LN/FT.	\$
24" DIAMETER, 24 FT LONG	LN/FT.	\$
24" CONNECTING BAND	EACH	\$
30" DIAMETER, 20 FT LONG	LN/FT.	\$
30" DIAMETER, 24 FT LONG	LN/FT.	\$
30" CONNECTING BAND	EACH	\$
36" DIAMETER, 20 FT LONG	LN/FT.	\$
36" DIAMETER, 24 FT LONG	LN/FT.	\$
36" CONNECTING BAND	EACH	\$
42" DIAMETER, 20 FT LONG	LN/FT.	\$
42" DIAMETER, 24 FT LONG	LN/FT.	\$
42" CONNECTING BAND	EACH	\$
48" DIAMETER, 20 FT LONG	LN/FT.	\$
48" DIAMETER, 24 FT LONG	LN/FT.	\$
48" CONNECTING BAND	EACH	\$
60" DIAMETER, 20 FT. LONG	LN/FT.	\$

LOCATION OF THE COMPANY: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 7

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020
Item: 8

BID #2021-8
SIX MONTH BID
ROAD BED STABILIZERS

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition

BID #2021-8
SIX MONTH BID
ROAD BED STABILIZERS
ITEM DESCRIPTION

FLY ASH	PER TON, DELIVERED PLANT LOCATION SPREADER BAR / TON	\$ _____ _____ \$ _____
CEMENT KILN DUST	PER TON, DELIVERED PLANT LOCATION: SPREADER BAR / TON	\$ _____ _____ \$ _____
PORTLAND TYPE 1-2	PER TON, DELIVERED PLANT LOCATION: SPREADER BAR / TON	\$ _____ _____ \$ _____
CALCIUM CHLORIDE	PER GAL. TRUCKLOAD, GALLON	\$ _____ _____
AMMONIUM LIGIN SULFATE	TRUCKLOAD, GAL	\$ _____ _____
MAGNESIUM CHLORIDE	PER GAL. TRUCKLOAD GALLON	\$ _____ _____

BRAND NAME: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 8

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020

BID #2021-9
SIX MONTH BID
ROCK PRODUCTS

Item: 9

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
 "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-9
SIX MONTH BID
ROCK PRODUCTS

		PLANT LOCATION:	PLANT LOCATION:
CRUSHED STONE:	UNIT		
YARD CLEAN UP ROCK	PER TON	\$	\$
WASHED SCREENINGS	PER TON	\$	\$
SCREENINGS	PER TON	\$	\$
1/2 INCH DOWN	PER TON	\$	\$
AG LIME / INDUSTRIAL AGGREGATE	PER TON	\$	\$
CLASS A ROCK:			
1 1/2 INCH (#57)	PER TON	\$	\$
3/4 INCH (#67)	PER TON	\$	\$
CRUSHER RUN:			
1 1/2 INCH	PER TON	\$	\$
3 INCH	PER TON	\$	\$
FILTERED BLANKET 4-5"	PER TON	\$	\$
1-1/2 INCH SURGE ROCK	PER TON	\$	\$
1-1/2 INCH FILTER STONE	PER TON	\$	\$
SURGE ROCK	PER TON	\$	\$
10 1/4 " RIP RAP QUARRY RUN	PER TON	\$	\$
12", 18", 24" RIP RAP	PER TON	\$	\$
GABION STONE	PER TON	\$	\$
TBSC OR SABM (all sizes same price)	PER TON	\$	\$
INSOLUABLE ROCK (all sizes same \$)	PER TON	\$	\$
ROAD ROCK	PER TON	\$	\$
SHOT ROCK	PER TON	\$	\$

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 9

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020
 Item: 10

BID #2021-10
 SIX MONTH BID
 INTERLOCKING SHEETING AND DECKING

NOTICE:
 Must meet all requirements of Oklahoma Department of Transportation,
 "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-10			
SIX MONTH BID			
INTERLOCKING SHEETING AND DECKING			
ITEM DESCRIPTION	BID UNIT	6 MONTH DELIVERED PRICE	6 MONTH PICKED UP PRICE
21.7 BLACK INTERLOCKING SHEETING			
12 GAUGE	SQ. FT.	\$ _____	\$ _____
10 GAUGE	SQ. FT.	\$ _____	\$ _____
8 GAUGE	SQ. FT.	\$ _____	\$ _____
7 GAUGE	SQ. FT.	\$ _____	\$ _____
21.7 GALVANIZED INTERLOCKING SHEETING			
12 GAUGE	SQ. FT.	\$ _____	\$ _____
10 GAUGE	SQ. FT.	\$ _____	\$ _____
8 GAUGE	SQ. FT.	\$ _____	\$ _____
7 GAUGE	SQ. FT.	\$ _____	\$ _____
18" BLACK INTERLOCKING SHEETING			
12 GAUGE	SQ. FT.	\$ _____	\$ _____
10 GAUGE	SQ. FT.	\$ _____	\$ _____
8 GAUGE	SQ. FT.	\$ _____	\$ _____
7 GAUGE	SQ. FT.	\$ _____	\$ _____
18" GALVANIZED INTERLOCKING SHEETING			
12 GAUGE	SQ. FT.	\$ _____	\$ _____
10 GAUGE	SQ. FT.	\$ _____	\$ _____
8 GAUGE	SQ. FT.	\$ _____	\$ _____
7 GAUGE	SQ. FT.	\$ _____	\$ _____
22 GA PAINTED DECKING	SQ. FT.	\$ _____	\$ _____
11 GAUGE SHEETING	SQ. FT.	\$ _____	\$ _____

LOCATION OF THE COMPANY: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 10

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020
 Item: 11

NOTICE:
 Must meet all requirements of Oklahoma Department of Transportation,
 "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-11
SIX MONTH BID
NEW/USED PILING PIPE

BID #2021-11

GO TO NEAREST CENT.

SIX MONTH BID

NEW/USED PILING PIPE

ITEM DESCRIPTION	UNIT	DELIVERED PRICE	
		NEW	USED
STEEL PIPE, 1/2 INCH WALL OR THICKER			
7 INCH	LN. FT.	\$ _____	\$ _____
8 INCH	LN. FT.	\$ _____	\$ _____
9 INCH	LN. FT.	\$ _____	\$ _____
10 INCH	LN. FT.	\$ _____	\$ _____
12 INCH	LN. FT.	\$ _____	\$ _____
STEEL PIPE, .375 INCH WALL OR THICKER			
7 INCH	LN. FT.	\$ _____	\$ _____
8 INCH	LN. FT.	\$ _____	\$ _____
9 INCH	LN. FT.	\$ _____	\$ _____
10 INCH	LN. FT.	\$ _____	\$ _____
12 INCH	LN. FT.	\$ _____	\$ _____
STEEL PIPE, 1/4 INCH WALL OR THICKER			
12 INCH	LN. FT.	\$ _____	\$ _____
14 INCH	LN. FT.	\$ _____	\$ _____
16 INCH	LN. FT.	\$ _____	\$ _____
18 INCH	LN. FT.	\$ _____	\$ _____
20 INCH	LN. FT.	\$ _____	\$ _____
22 INCH	LN. FT.	\$ _____	\$ _____
24 INCH	LN. FT.	\$ _____	\$ _____
30 INCH	LN. FT.	\$ _____	\$ _____
36 INCH	LN. FT.	\$ _____	\$ _____

LOCATION OF THE COMPANY: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 11

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020

Item: 12

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
 "Standard Specifications for Highway Construction", 2009 Edition

BID #2021-12
SIX MONTH BID
PLATE & STRUCTURAL
STEEL PRODUCTS

ROUND TO THE NEAREST CENT

BID #2021-12		NEW	USED OR REJECTED
SIX MONTH BID		6 MONTH	6 MONTH
PLATE & STRUCTURAL STEEL PRODUCTS		DELIVERED	DELIVERED
ITEM DESCRIPTION	BID UNIT	PRICE	PRICE
3/16 INCH PLATE STEEL	PER LB.	\$ _____	\$ _____
1/4 INCH PLATE STEEL	PER LB.	\$ _____	\$ _____
5/16 INCH PLATE STEEL	PER LB.	\$ _____	\$ _____
3/8 INCH PLATE STEEL	PER LB.	\$ _____	\$ _____
7/16 INCH PLATE STEEL	PER LB.	\$ _____	\$ _____
1/2 INCH PLATE STEEL	PER LB.	\$ _____	\$ _____
I-BEAMS	PER LB.	\$ _____	\$ _____
H-BEAMS	PER LB.	\$ _____	\$ _____
CHANNEL IRON	PER LB.	\$ _____	\$ _____
ANGLE IRON	PER LB.	\$ _____	\$ _____
REINFORCING STEEL			
#3 3/8 INCH	LN. FT.	\$ _____	\$ _____
#4 1/2 INCH	LN. FT.	\$ _____	\$ _____
#5 5/8 INCH	LN. FT.	\$ _____	\$ _____
#6 3/4 INCH	LN. FT.	\$ _____	\$ _____
#7 7/8 INCH	LN. FT.	\$ _____	\$ _____
#8 1 INCH	LN. FT.	\$ _____	\$ _____

LOCATION OF THE COMPANY: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 12

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020

Item: 13

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition
(STEEL TANK CARS)

**BID #2021-13
SIX MONTH BID
STEEL PIPE**

BID #2021-13

SIX MONTH BID

STEEL PIPE

ITEM DESCRIPTION	UNIT	DELIVERED PRICE
------------------	------	-----------------

3/8 INCH WALL THICKNESS

3 1/2 FT. DIA.	LIN. FT.	\$ _____
4 FT. DIA.	LIN. FT.	\$ _____
4 1/2 FT. DIA.	LIN. FT.	\$ _____
5 FT. DIA.	LIN. FT.	\$ _____
5 1/2 FT. DIA.	LIN. FT.	\$ _____
6 FT. DIA.	LIN. FT.	\$ _____
6 1/2 FT. DIA.	LIN. FT.	\$ _____
7 FT. DIA.	LIN. FT.	\$ _____
7 1/2 FT. DIA.	LIN. FT.	\$ _____
8 FT. DIA.	LIN. FT.	\$ _____
8 1/2 FT. DIA.	LIN. FT.	\$ _____
9 FT. DIA.	LIN. FT.	\$ _____
10 FT. DIA.	LIN. FT.	\$ _____

1/2 INCH WALL THICKNESS

7 FT. DIA.	LIN. FT.	\$ _____
7 1/2 FT. DIA.	LIN. FT.	\$ _____
8 FT. DIA.	LIN. FT.	\$ _____
8 1/2 FT. DIA.	LIN. FT.	\$ _____
9 FT. DIA.	LIN. FT.	\$ _____
9 1/2 FT. DIA.	LIN. FT.	\$ _____
10 FT. DIA.	LIN. FT.	\$ _____
10 1/2 FT. DIA.	LIN. FT.	\$ _____

3/4 INCH OR BETTER

WALL THICKNESS

7 FT. DIA.	LIN. FT.	\$ _____
7 1/2 FT. DIA.	LIN. FT.	\$ _____
8 FT. DIA.	LIN. FT.	\$ _____
8 1/2 FT. DIA.	LIN. FT.	\$ _____
9 FT. DIA.	LIN. FT.	\$ _____
9 1/2 FT. DIA.	LIN. FT.	\$ _____
10 FT. DIA.	LIN. FT.	\$ _____
10 1/2 FT. DIA.	LIN. FT.	\$ _____

COMPANY LOCATION: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 13

Payne County, Oklahoma 6- Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020

Item: 14

NOTICE:

Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition

**BID #2021-14
SIX MONTH BID
NEW AND USED
GUARD RAILS, BRIDGE CLIPS**

**BID #2021-14
SIX MONTH BID
NEW AND USED GUARD RAILS, BRIDGE CLIPS**

<u>ITEM DESCRIPTION</u>	<u>BID UNIT</u>
-------------------------	-----------------

GUARD RAIL

NEW GUARDRAIL	LIN. FT. _____
USED GUARDRAIL	LIN. FT. _____

END WINGS

NEW END WINGS	EACH _____
USED END WINGS	EACH _____

BRIDGE CLIPS

SMALL BRIDGE CLIPS	EACH. _____
LARGE BRIDGE CLIPS	EACH _____

GUARD RAIL POSTS

NEW	EACH _____
USED	EACH _____

COMPANY LOCATION: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 14

Payne County, Oklahoma 6- Month Bid,
 Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020
 Item: 15
 NOTICE:

BID #2021-15
 SIX MONTH BID
 PETROLEUM
 PRODUCTS

BID #2021-15
 SIX MONTH BID
 PETROLEUM PRODUCTS
 DELIVERY TO: DISTRICT #1,
 DISTRICT #3 OR SHERIFF DEPT.
 ITEM DESCRIPTION

MEET
 SPECS
 X=NO
=YES

UNIT
 6 MONTH
 PRICE

MEET
 SPECS
 X=NO
=YES

6 MONTH
 ALT BID

****MOTOR OIL SPECIFICATIONS****

ENGINE OIL (APICI-4/ CI-4 PLUS and API CH-4)(1)

90 WT TRANS. OIL

35 LB.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
400 LB.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____		_____

80/90 WT OIL

35 LB.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
400 LB.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____		_____

HD 30 WT DETERGENT MOTOR OIL

1 CASE OF (4) 1 GALLON CONTAINERS	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
5 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____		_____

10-40 DETERGENT MOTOR OIL

1 CASE OF (6) 1 GALLON CONTAINERS	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
5 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____		_____

HD 15-40 WT DET. MOTOR OIL

1 CASE OF (4) 1 GALLON CONTAINERS	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
3 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
5 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____		_____

****HYDRAULIC OIL SPECIFICATIONS****

Cat ECF-1-a, Cat ECF-2, Cat ECF-3, Cat TO-4, or the
 Cat TO-4M performance requirements, and that have a
 minimum zinc additive level of 0.09 percent (900ppm).
 Commercial biodegradable hydraulic oil must meet the
 Cat BF-2 specification.

UNIV. HYDRAULIC OIL

5 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>		_____	<input type="checkbox"/>	_____
BRAND			_____	<input type="checkbox"/>	_____

10 WT HYDRAULIC OIL TL-4

5 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____	<input type="checkbox"/>	_____

20 WT HYDRAULIC OIL TL-4

5 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____		_____

30 WT HYDRAULIC OIL TL-4

5 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____		_____

ANTIFREEZE

HD GREEN

6 GAL.	<input type="checkbox"/>	EACH	50 / 50	<input type="checkbox"/>	FULL STRENGTH
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
HD RED	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
6 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BULK	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____

TRANS FL DEX II & TYPE F

24 QTS.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
5 GAL. PAIL	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
55 GAL.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	\$ _____
BRAND			_____		_____

****GREASE SPECIFICATIONS****

NLGI Consistency Number 2
 Worked Penetration, ASTM D217 265-295
 Dropping Point, ASTM D2265, °F (°C) 290 (143)
 Water Washout, ASTM D1264, % loss @ 100°F 0.9
 Rust Prevention, ASTM D1743, rating Pass
 Oil Separation, ASTM D1743, % loss <1
 Timken OK Load, ASTM D2509, lb. 55
 Four-Ball Wear, ASTM D2266, mm 0.6
 Four-Ball EP Weld Point, ASTM D2596, kgf 250
 Four-Ball Last Non-Seizure Load, ASTM D2596, kgf 65
 Approximate Application Temperature Range, °F (°C) 0 to 250 (-18 to 121)
 Base Oil Viscosity: 40°C, cSt 1080

****HI TEMP GREASE SPECIFICATIONS****

NLGI Consistency Number 1 2
 NLGI Certified, ASTM D4950 GC-LB
 Worked Penetration, ASTM D217 310-340
 Dropping Point, ASTM D2265, °F (°C) 500 (260) 550 (288)
 Water Washout, ASTM D1264, % loss @ 175°F 9.4 2.5
 Rust Prevention, ASTM D1743, rating Pass
 Copper Corrosion, ASTM D4048, rating 1b 1b
 Oil Separation, ASTM D1742, % loss 2 1
 Timken OK Load, ASTM D2509, lb. 70 80
 Four-Ball Wear, ASTM D2266, mm 0.45 0.45
 Four-Ball EP Weld, ASTM D2596, kgf 315 315
 Four-Ball Load Wear Index, ASTM D2596, kgf 50
 Approximate Temperature Range, °F (°C) -10 to 325 (-23 to 163)
 Base Oil Viscosity: 40°C, cSt 630 630

GREASE CARTRIDGES NL 612 LITHIUM BASED

30 CNT	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	GEN PURPOSE
60 CNT.	<input type="checkbox"/>	EACH	\$ _____	<input type="checkbox"/>	HI TEMP
BRAND			_____		_____

GROUP IV SYNTHETICS

75W-90 GEAR LUBE

5 GAL.		EACH	\$ _____
16 GAL.		EACH	\$ _____
55 GAL.		EACH	\$ _____
BRAND			_____

80W-90 GEAR LUBE

1 GAL.	EACH \$	_____
5 GAL.	EACH \$	_____
55 GAL.	EACH \$	_____
BRAND		_____

SAE 30 HD DIESEL EXT DRAIN OIL

1 GAL.	EACH \$	_____
5 GAL.	EACH \$	_____
30 GAL.	EACH \$	_____
55 GAL.	EACH \$	_____
BRAND		_____

10 W-40 EXT DRAIN OIL

12 QTS.	EACH \$	_____
5 GAL.	EACH \$	_____
30 GAL.	EACH \$	_____
55 GAL.	EACH \$	_____
BRAND		_____

HD 15W-40 EXT DRAIN OIL

12 QTS.	EACH \$	_____
5 GAL.	EACH \$	_____
30 GAL.	EACH \$	_____
55 GAL.	EACH \$	_____
BRAND		_____

TORQUE-DRIVE ATF

(ALLISON TES-295)

1 GAL.	EACH \$	_____
5 GAL.	EACH \$	_____
16 GAL.	EACH \$	_____
30 GAL.	EACH \$	_____
55 GAL.	EACH \$	_____
BRAND		_____

**SYNTHETIC TRACTOR/HYDRAULIC/
TRANS OIL SAE 5W-30**

5 GAL.	EACH \$	_____
30 GAL.	EACH \$	_____
55 GAL.	EACH \$	_____
BRAND		_____

SYNTHETIC UNIVERSAL ATF FLUID

12 QTS.	EACH \$	_____
2.5 GAL.	EACH \$	_____
55 GAL.	EACH \$	_____
BRAND		_____

SYNTHETIC MULTI-PURPOSE GREASE

10 14 Oz. Cart	EACH \$	_____
40 14 Oz Cart	EACH \$	_____
12 24 Oz. Bottles	EACH \$	_____
BRAND		_____

PROPYLENE GLYCOL ANTIFREEZE

1 Gal	EACH \$	_____
6 Gal	EACH \$	_____
55 Gal	EACH \$	_____
BRAND		_____

VENDORS PLEASE PROVIDE SPECS FOR ANY PRODUCTS LISTED IN THIS BID

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 15

Payne County, Oklahoma 6 Month Bid,
Effective Date: JULY 1, 2020 THRU DECEMBER 31, 2020
ITEM: 16

BID # 2021-16
AASH TO 330 HWY SPECIFICATION
CORRUGATED POLYPROPYLENE PIPE

NOTICE:
Must meet all requirements of Oklahoma Department of Transportation,
"Standard Specifications for Highway Construction", 2009 Edition

BID # 2021-16
SIX MONTH BID, POLYETHYLELYPROPYLENE PIPE
AASHTO 330 HIGHWAY SPECIFICATION
CORRUGATED POLYPROPYLENE PIPE
20' & 13' LENGTHS AVAILABLE--ALL PIPE WATERTIGHT
ITEM DESCRIPTION

	PRICE	\$ / LF
12" CORRUGATED POLYPROPYLENE PIPE	\$	LF
12" COUPLER	\$	EACH
15" CORRUGATED POLYPROPYLENE PIPE	\$	LF
15" COUPLER	\$	EACH
18" CORRUGATED POLYPROPYLENE PIPE	\$	LF
18" COUPLER	\$	EACH
21" CORRUGATED POLYPROPYLENE PIPE	\$	LF
21" COUPLER	\$	EACH
24" CORRUGATED POLYPROPYLENE PIPE	\$	LF
24" COUPLER	\$	EACH
30" CORRUGATED POLYPROPYLENE PIPE	\$	LF
30" COUPLER	\$	EACH
36" CORRUGATED POLYPROPYLENE PIPE	\$	LF
36" COUPLER	\$	EACH
42" CORRUGATED POLYPROPYLENE PIPE	\$	LF
42" COUPLER	\$	EACH
48" CORRUGATED POLYPROPYLENE PIPE	\$	LF
48" COUPLER	\$	EACH
60" CORRUGATED POLYPROPYLENE PIPE	\$	LF
60" COUPLER	\$	EACH

DUAL WALL POLYPROPYLENE PIPE
ALL PIPE IS AASHTO (HWY) RATED UNDER SPEC M330
FOR USE UNDER ROADWAY
APPLICATIONS CAPABLE OF H-25 TRAFFIC LOADS
PER MANUFACTURERS RECOMMENDED INSTALLATION
PROCEDURES.

LOCATION OF THE COMPANY: _____

Vendor Name: _____

Vendor's Representative: _____

Vendor's Phone # _____

Email: _____

Item 16